

**Decorative Plumbing  
Kitchen&Bath  
A Global Brand**

NP

OVER 100 YEARS OF FAMILY TRADITION  
ITALIAN MADE & DESIGN

**CATALOG USA 4.1**

EMPIRUM  
**PALLAZZANI**





member of



[www.palazzaniusa.com](http://www.palazzaniusa.com)

In **1868**, the **Palazzani** family business, in Bescia Italy, began manufacturing bridge components, wooden packing crates and carriages. During World War I, the family foundry started to produce brass and bronze parts. In 1905, my family became the first manufacturer of taps in Lumezzane in Brescia and continues to this day to be very proactive in researching new and innovative solutions for plumbing fixtures for more than **30 countries**. We can say today, "**Palazzani is a Global Brand**".

Without compromising the quality of material, design, engineering and production, Palazzani is **importing Italian decorative plumbing fixtures** at an affordable price in the USA market. Yes, that is correct, the Artisan Palazzani and Emporium will have a variety of handcrafted design product for your kitchen and bath. The Italian made products will maintain the all brass and chrome production and workmanship to sustain a product for many years of use.





*"Over my life's career in my family's business heritage since 1868, I have valued Italian culture, design, and quality in the success of manufacturing. So, our future is today and tomorrow we continue to produce the finest design and quality of products for the health and lifestyle for our global customers".*


*Marco Palazzani*



finest  
**Chrome**  
plating



**Highest**  
quality of  
brass



index



index

## ITALIAN MADE

CULTURE ■ DESIGN ■ QUALITY

Palazzani welcomes you to its prestigious headquarters in Casalmorano (CR), an establishment of 170,000 square feet on an industrial land of 365,000 square feet, created to house technicians, materials, state-of-the-art machinery and an organization whose first commitment is to complete customer satisfaction. In our new showroom of 5,000 square feet you can see all our production.

company

Selected materials, first-class workmanship ensure quality, outstanding durability and using lead free brass.




# ecompany



Hand pouring of brass



The production cycle is entirely performed in the plant.



# Over 100 years of Italian Culture

innovation,  
development  
and quality



Factory workers 1905.



The Bonomi's family.



1905

1927

1930

1950

Over 90 workers just in the foundry.



Great Grandfather  
Cav. **Luigi Bonomi**,  
President from 1905-1947.



Grandfather Comm.  
**Natale Bonomi**, 2nd generation, from  
1927, and President from 1947-1982.



# Over 100 years of Italian Culture



In 1955 our relatives engineered and designed the first Gnutti Transfer Machine for the family business; the equipment became the best technology for faucets.

1950

1955

1959



Dott. **Italo Palazzani**, since 1962 and President since 1982.

1962



**Anna Maria Bonomi**, member of Board since 1964.

1964



The new prestigious headquarters opening in Casalmorano.

1985

2001



Uncle **Luigi Bonomi**, 3rd generation, 1959.



**Marco Palazzani** is the fourth generation of the family.



Dott. **Marco Palazzani** Vice President since 1985.

universal concealed system

# pressure balance



992707 992706 unico®

universal concealed system

# thermostatic valve



unico® 922772 992774 992776

Our rough valves  
maybe installed  
**with a variety**  
of external trims.



- 1: The rough valves may be installed **with all design collections.**
- 2: Install **unico®**, the universal concealed body when fitting metal pipes.
- 3: When installing taps you can choose from among many ranges of single lever or thermostatic mixers, without the need for adapters or initial installation modifications. **Unico®** is designed for transforming itself into the single-lever or thermostatic mixer according to the customer's choice, thus permitting economic management of the installation. Also **unico®** is available in the version with an incorporated diverter and with **2 and 3 ways diverter.**



The simplest way to install  
and choose your shower mixer

# thermostatic valve

37°  
39°  
high  
performance  
38°

■ Palazzani invites you to a world of comfort and safety by using our energy and water saving shower system.

**Acquaclima®** technology provides constant flow of water temperature.

■ To avoid high temperature, **Acquaclima®** has a 38°C max stop button. This feature provides an internal anti-scalding system. You may enjoy a temperature a constant temperature setting.

■ **Acquaclima®** is an easy installation and maintenance.

Comfort, water saving,  
energy saving, safety,  
**easy installation** and **maintenance.**

# [cold start] Automatic Energy Saving

# OUR Certifications

Our certifications are available on line [www.csagroup.org](http://www.csagroup.org)

## Hot water only when needed

Palazzani launches the **ColdStart** technology for the **Italo** and **Bella** faucet lines.

**ColdStart** reduces energy requirements **CO2 emissions**, using current technology. The innovative command ergonomics launches a new trend in the sanitaryware sector.

With **Palazzani ColdStart technology**, cold water flows when the handle is in the middle position. When the handle is in the central position with standard faucets, the water heater is activated immediately. However in the **ColdStart** faucet the water pipes are not filled with hot water instantly. The user can set the handle to the left. Remember, the right position of lever is not moveable.



### Excellent arguments in favor of ColdStart

Your main sales argument is considered by the potential for savings. In fact, the purchase of a mixer with **ColdStart** technology allows a considerable saving of energy and even money.

From private customers to large hotels: the **ColdStart** assortment is certainly of interest for sale in the design activity.

### Declaration of Conformity

All Palazzani's taps with valve and mixers with the cartridge in ceramic disc are according to **UNI EN 817**.

All Palazzani's taps with thermostatic valves are according to **UNI EN 1111**.

All Palazzani's electronic taps are according to **UNI EN 15091**.

### Brass Declaration

All Palazzani's taps are made with the **brass conform** to:

- Brass CW 614N-UNI EN 12164 (turnig brass)
- Brass CW 617N-UNI EN 12165 (molding brass)
- Brass CuZn 37 Pb-UNI EN 753s (casting brass)


■ The faucet is designed and industrialized in PALAZZANI technical office to endure over time and that is why every product must pass stringent internal testing and challenging tests in our laboratories.

### Chrome-plating

The Palazzani's Chrome plating is according to **UNI EN 248**.

The chrome-plating is designed to withstand a test of more than 200 hours in saline ambient. The taps surfaces are coated with layers of nickel and chrome up to 20 microns thickness.

▪ **Antonio Bullo** is not only a successful sculptor and teacher of Industrial Design of the I.S.I.A. of Faenza, Italy, but is also an Italian designer, whose large part of activity is dedicated to design the bathroom ambience. He has achieved important success designing ceramics, taps and faucets and has obtained important awards, but above all he has always earned consumer appreciation for the innovation, useful practicality and purity of his work's unmistakable lines. In this catalogue you'll find the products designed by Antonio Bullo for Palazzani.



Antonio Bullo



▪ **Andrea Zani** graduates in industrial design at Machina Lonati Fashion and Design Institute in 2005. His vocation as an industrial designer takes him to a constant quest for realities where craftsmanship of products and search for new lines blend. This allows him to create objects with innovative design that perfectly fit with the daily demands of the market. His portfolio consists of essentials objects with a rigorous shape but timeless. His collaboration with Palazzani concerns the restyling of some series of taps.

Andrea Zani

designers


# trade show

Now, producing special finishes... Copper, Gold, Dark Brushed Nickel...  
in the Adams Collection, the gold is 24K plating with Swarovski handles. All Made in Italy!



## EXPO

- Salone del Mobile (International Bathroom Exhibition) - Milan
- Cersaie - Bologna
- ISH - Frankfurt
- IdéoBain - Parigi
- KBIS - Las Vegas / Orlando
- Unicera - Istanbul



# references



Hard Rock Hotel - Miami - USA



Hotel Trianon Palace - Versailles - Francia



Rotana Hotel - Erbil



Main Street Cupertino Residence - Cupertino - USA



Sheraton Hotel - Jeddah - Arabia Saudita



Crystal Palace Hotel - Trapani - Italia



Baia dei Mulini Resort - Trapani - Italia



Radisson Blu Resort & Spa - Corsica - Francia



Hotel Galles Best Western - Milano - Italia

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 073010 in Chrome?

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES

10 Chrome

073010



SERIES: Young sink mixer

FINISH: 10 Chrome

073010 + 10

07301010

This is your complete code for a Young sink mixer in Chrome.

This method is valid for all items in the Young range.

073010 single lever mixer for bathroom sink



young

· Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

· Single lever mixer for bathroom sink, without waste.  
max flow: 1.2 GPM.

· Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.


· Single lever mixer for bidet, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

· Waste Click-Clack 1 1/4" with overflow.

· Pair (2) of concealed stop valves 3/4" with volume control.

FINISHES  
**10 Chrome**

**073010**



h: 7 7/8"

**073011**



h: 7 7/8"

**073078**



h: 9"

**074010**



h: 7 7/8"

**991424**



**071241**



· Single lever mixer for bathroom sink, with extended spout without waste.  
max flow: 1.2 GPM.

· Tall single lever mixer for bathroom sink, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

· Tall single lever mixer for bathroom sink, without waste.  
max flow: 1.2 GPM.

· Wall mounted spout for bath-tub.

· Complete deck-mount Roman bathtub faucet mixer 4 holes, with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2".  
max flow: 6.3 GPM.

FINISHES  
**10 Chrome**

**073045**



h: 9"

**073077**




h: 15 3/4"

**073018**



h: 15 3/4"

**992121**



l: 8 10/64"

**071394**




l: 7"



Floor standing bath-shower mixer, with flexible metal shower hose, 59" length, connection 1/2", cover material chrome and handshower. max flow: 6.5 GPM.

**FINISHES**  
**10 Chrome**

**071156**



h: 36" 1/2

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992707+072011**

Complete  
PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992707**

Rough in  
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES  
10 Chrome

**072011**

Trim  
PRESSURE BALANCE



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
10 Chrome

**992713NS+412570**

Complete  
2 WAYS DIVERTER  
use only with  
pressure balance



• Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
10 Chrome

**992713NS**

Rough in  
2 WAYS DIVERTER  
use only with  
pressure balance



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES  
10 Chrome

**412570**

Trim  
2 WAYS DIVERTER  
use only with  
pressure balance



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992706+071021**

Complete  
PRESSURE BALANCE  
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992706**

Rough in  
PRESSURE BALANCE  
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES  
10 Chrome

**071021**

Trim  
PRESSURE BALANCE  
with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
10 Chrome

**992714NS+412571**

Complete  
3 WAYS DIVERTER  
use only with  
pressure balance



• Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
10 Chrome

**992714NS**

Rough in  
3 WAYS DIVERTER  
use only with  
pressure balance



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES  
10 Chrome

**412571**

Trim  
3 WAYS DIVERTER  
use only with  
pressure balance



- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

- **Rough In.** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

- **Trim.** external parts for thermostatic valve (992772) for shower.

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

- **Rough In.** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

- **Trim.** external parts for thermostatic valve (992776) for shower.

FINISHES  
10 Chrome

**992772+412501**

Complete  
**THERMOSTATIC**  
with volume control



**992772**

Rough in  
**THERMOSTATIC**  
with volume control



**412501**

Trim  
**THERMOSTATIC**  
with volume control



**992776+412505**

Complete  
**THERMOSTATIC**  
with 3 ways diverter



**992776**

Rough in  
**THERMOSTATIC**  
with 3 ways diverter



**412505**

Trim  
**THERMOSTATIC**  
with 3 ways diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

- **Rough In.** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

- **Trim.** external parts for thermostatic valve (992774) for shower.

FINISHES  
10 Chrome

FINISHES  
10 Chrome

FINISHES  
10 Chrome

**992774+412503**

Complete  
**THERMOSTATIC**  
with 2 ways diverter



**992774**

Rough in  
**THERMOSTATIC**  
with 2 ways diverter



**412503**

Trim  
**THERMOSTATIC**  
with 2 ways diverter



- **Complete** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

- **Rough In** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

- **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).

- **Complete** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

- **Rough In** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

- **Trim**, external parts for 2 ways shower diverter valve (992713).

FINISHES  
10 Chrome

**992709+412568**

Complete  
**THERMOSTATIC**  
valve



**992709**

Rough in  
**THERMOSTATIC**  
valve



**412568**

Trim  
**THERMOSTATIC**  
valve



**992713+412570**

Complete  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



- Works only with code 992709 (Thermostatic Mixer)

**992713**

Rough in  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



**412570**

Trim  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



- **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

- **Rough In** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

- **Trim**, external parts for stop valve (992772) for shower. flow rate: 12 GPM (45 PSI).

- **Complete** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

- **Rough In** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

- **Trim**, external parts for 3 ways shower diverter valve (992714).

FINISHES  
10 Chrome

**992712+412569**

Complete  
**VOLUME CONTROL**  
use only with  
thermostatic valve



- Works only with code 992709 (Thermostatic Mixer)

**992712**

Rough in  
**VOLUME CONTROL**  
use only with  
thermostatic valve



**412569**

Trim  
**VOLUME CONTROL**  
use only with  
thermostatic valve



**992714+412571**

Complete  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



- Works only with code 992709 (Thermostatic Mixer)

**992714**


Rough in  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



**412571**

Trim  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve





young

**COMPLETE SHOWER KIT  
PRESSURE BALANCE WITH  
2 WAYS DIVERTER**

10 Chrome

**07K047**

**composed by**



**9926E2**

- Luxury horizontal brass shower arm 13 1/2".

FINISHES  
10 Chrome



**992687**

- ABS showerhead 8" x 8".

FINISHES  
10 Chrome



**992706+071021**

- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).


FINISHES  
10 Chrome



**992121**

- Wall mounted spout for bath-tub.

FINISHES	LIST PRICE
10 Chrome	\$ 355.00



young

**COMPLETE SHOWER KIT  
THERMOSTATIC WITH  
2 WAYS DIVERTER**

10 Chrome

**41K048**

**composed by**



**9926E2**

- Luxury horizontal brass shower arm 13 1/2".

FINISHES  
10 Chrome



**992687**

- ABS showerhead 8" x 8".

FINISHES  
10 Chrome



**992774+412503**

- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES  
10 Chrome



**9910A9**

- Fixed bracket in brass with water delivery included, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs 1" x 1". max flow: 2 GPM.


FINISHES  
10 Chrome




All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)


073010




073011




073078




992707+072011




992706+071021




992713NS+412570




073045




073077




073018




992714NS+412571




992772+412501




992774+412503




074010




991424




071241




992776+412505




992709+412568




992712+412569




992121




071394




071156



992713+412570



992714+412571



# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 083010 in Chrome?

- Single handle faucet for bathroom sink, with waste Click-Clack 1 1/4", max flow: 1.2 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

083010



**SERIES:** Wild sink mixer  
**FINISH:** 10 Chrome

083010 + 10

08301010

This is your complete code for a Wild sink mixer in **Chrome**.

This method is valide for all items in the Wild range.



083010 single lever mixer for bathroom sink



083010  
single lever mixer for  
bathroom sink

43

38



49



68



**FINISHES**

**10** Chrome / **38** Matt Black / **43** Matt White  
**49** Brushed Steel finish / **68** Polished Nickel

Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**083010**



Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**083011**



Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4". max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**083078**



3 holes washbasin mixer, swivel spout with waste Click-Clack 1 1/4". max flow: 1.8 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**083040**



Wall mounted 3 holes washbasin faucet. max flow: 1.8 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**083060**



Single lever mixer for bathroom sink, with extended spout without waste. max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**083045**



Tall single lever bathroom mixer with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**083077**



Tall single lever bathroom mixer without waste. max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**083018**



Single lever mixer for bidet, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**084010**



Waste Click-Clack 1 1/4" with overflow.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**991424**



Wall mounted spout for bath-tub.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**992112**



- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

**992707+082011**

Complete  
 PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
 10 Chrome

**992707**

Rough in  
 PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

**082011**

Trim  
 PRESSURE BALANCE



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

**992713NS+922570**

Complete  
**2 WAYS DIVERTER**  
 use only with  
 pressure balance



• Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
 10 Chrome

**992713NS**

Rough in  
**2 WAYS DIVERTER**  
 use only with  
 pressure balance



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

**922570**

Trim  
**2 WAYS DIVERTER**  
 use only with  
 pressure balance



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

**992706+081021**

Complete  
 PRESSURE BALANCE  
 with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
 10 Chrome

**992706**

Rough in  
 PRESSURE BALANCE  
 with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

**081021**

Trim  
 PRESSURE BALANCE  
 with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

**992714NS+922571**

Complete  
**3 WAYS DIVERTER**  
 use only with  
 pressure balance



• Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
 10 Chrome

**992714NS**

Rough in  
**3 WAYS DIVERTER**  
 use only with  
 pressure balance



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

**922571**

Trim  
**3 WAYS DIVERTER**  
 use only with  
 pressure balance



- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

- **Trim**, external parts for thermostatic valve (992772) for shower.

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

- **Trim**, external parts for thermostatic valve (992776) for shower.

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

FINISHES  
 10 Chrome

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

FINISHES  
 10 Chrome

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

**992772+922501**

Complete  
**THERMOSTATIC**  
 with volume control



**922772**

Rough in  
**THERMOSTATIC**  
 with volume control



**922501**

Trim  
**THERMOSTATIC**  
 with volume control



**992776+922505**

Complete  
**THERMOSTATIC**  
 with 3 ways diverter



**992776**

Rough in  
**THERMOSTATIC**  
 with 3 ways diverter



**922505**

Trim  
**THERMOSTATIC**  
 with 3 ways diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

FINISHES  
 10 Chrome

FINISHES  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish  
 68 Polish nickel

**992774+922503**

Complete  
**THERMOSTATIC**  
 with 2 ways diverter




**992774**

Rough in  
**THERMOSTATIC**  
 with 2 ways diverter



**922503**

Trim  
**THERMOSTATIC**  
 with 2 ways diverter



• **Complete** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

• **Rough In** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

• **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).

• **Complete** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

• **Rough In** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

• **Trim**, external parts for 2 ways shower diverter valve (992713).

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

- FINISHES
- 10 Chrome

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel


- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

- FINISHES
- 10 Chrome

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**992709+922568**

Complete  
**THERMOSTATIC**  
valve



**992709**

Rough in  
**THERMOSTATIC**  
valve



**922568**

Trim  
**THERMOSTATIC**  
valve



**992713+922570**

Complete  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



• Works only with code 992709  
(Thermostatic Mixer)

**992713**

Rough in  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



**922570**

Trim  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



• **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

• **Rough In** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

• **Trim**, external parts for stop valve (992772) for shower. flow rate: 12 GPM (45 PSI).

• **Complete** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

• **Rough In** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

• **Trim**, external parts for 3 ways shower diverter valve (992714).

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

- FINISHES
- 10 Chrome

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

- FINISHES
- 10 Chrome

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**992712+922569**

Complete  
**VOLUME CONTROL**  
use only with  
thermostatic valve



• Works only with code 992709  
(Thermostatic Mixer)

**992712**

Rough in  
**VOLUME CONTROL**  
use only with  
thermostatic valve



**922569**

Trim  
**VOLUME CONTROL**  
use only with  
thermostatic valve



**992714+922571**

Complete  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



• Works only with code 992709  
(Thermostatic Mixer)

**992714**

Rough in  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



**922571**


Trim  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve




All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)


083010




083011




083078




992706+081021




992713NS+922570




992714NS+922571




083045




083077




083018




992772+922501




992774+922503




992776+922505




083040




083060




084010




992709+922568




992712+922569




992713+922570




991424




992112



992707+082011



992714+922571



# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



**EXAMPLE**

How to order 023010 in Matt White?

Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 68 Polish nickel

**023010**



**SERIES:**  
Mimo  
sink mixer

**FINISH:**  
43 Matt  
White

**023010 + 43**

**02301043**

This is your complete code for a Mimo sink mixer in **Matt White**.

This method is valide for all items in the Mimo range.



- FINISHES**
- 10 Chrome / 34 Matt Copper / 36 Brushed Dark Nickel  
 38 Matt Black / 43 Matt White / 49 Brushed Steel finish  
 68 Polished Nickel

# mimo



023010  
single lever mixer for  
bathroom sink

Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4" max flow: 1.2 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**023010**



Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**023011**



Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4". max flow: 1.2 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**023078**



3 holes washbasin faucet swivel spout with waste Click-Clack 1 1/4". max flow: 1.8 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**023040**



023010  
**single lever mixer for bathroom sink**

Single lever mixer for bathroom sink, with extended spout without waste. max flow: 1.2 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**023045**



Tall single lever bathroom mixer, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**023077**



Tall single lever bathroom mixer without waste. max flow: 1.2 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**023018**



Wall mounted 3 holes washbasin faucet. max flow: 1.8 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**023060**



Single lever mixer for bidet, without waste. max flow: 1.2 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**024111**



Waste Click-Clack 1 1/4" with overflow.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**991424**



Washbasin round trap.

Wall mounted spout for bath-tub.

Complete deck-mount Roman bathtub faucet mixer 4 holes, complete with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 6.3 GPM.

Floor standing bath shower mixer, with flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 6.5 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel


- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**991443**

**992112**

**121394**

**121156**



emmoorium

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES

10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

**992707+102011**

Complete  
PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES

10 Chrome
-----------

**992707**

Rough in  
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES

10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

**102011**

Trim  
PRESSURE BALANCE



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES

10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

**992713NS+102570**

Complete  
2 WAYS DIVERTER  
use only with  
pressure balance



• Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES

10 Chrome
-----------

**992713NS**

Rough in  
2 WAYS DIVERTER  
use only with  
pressure balance



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES

10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

**102570**

Trim  
2 WAYS DIVERTER  
use only with  
pressure balance



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES

10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

**992706+101021**

Complete  
PRESSURE BALANCE  
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES

10 Chrome
-----------

**992706**

Rough in  
PRESSURE BALANCE  
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES

10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

**101021**

Trim  
PRESSURE BALANCE  
with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES

10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

**992714NS+102571**

Complete  
3 WAYS DIVERTER  
use only with  
pressure balance



• Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES

10 Chrome
-----------

**992714NS**

Rough in  
3 WAYS DIVERTER  
use only with  
pressure balance



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES

10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

**102571**

Trim  
3 WAYS DIVERTER  
use only with  
pressure balance



• **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**992772+962501**

Complete  
**THERMOSTATIC**  
with volume control



• **Rough In,** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

- FINISHES**
- 10 Chrome

**992772**

Rough in  
**THERMOSTATIC**  
with volume control



• **Trim,** external parts for thermostatic valve (992772) for shower.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**962501**

Trim  
**THERMOSTATIC**  
with volume control



• **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**992776+962505**

Complete  
**THERMOSTATIC**  
with 3 ways diverter



• **Rough In,** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

- FINISHES**
- 10 Chrome

**992776**

Rough in  
**THERMOSTATIC**  
with 3 ways diverter



• **Trim,** external parts for thermostatic valve (992776) for shower.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**962505**

Trim  
**THERMOSTATIC**  
with 3 ways diverter



• **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**992774+962503**

Complete  
**THERMOSTATIC**  
with 2 ways diverter



• **Rough In,** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

- FINISHES**
- 10 Chrome

**992774**

Rough in  
**THERMOSTATIC**  
with 2 ways diverter



• **Trim,** external parts for thermostatic valve (992774) for shower.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**962503**

Trim  
**THERMOSTATIC**  
with 2 ways diverter



- **Complete** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**992709+962568**

Complete  
**THERMOSTATIC**  
valve



- **Rough In** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

- FINISHES
- 10 Chrome

**992709**

Rough in  
**THERMOSTATIC**  
valve



- **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**962568**

Trim  
**THERMOSTATIC**  
valve



- **Complete** concealed 3/4", 2 ways diverter with stop, flow rate: 12 GPM (45 PSI).

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**992713+962570**

Complete  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



- Works only with cod. 992709 (Thermostatic Mixer)

- **Rough In** concealed 3/4", 2 ways diverter with stop, flow rate: 12 GPM (45 PSI).

- FINISHES
- 10 Chrome

**992713**

Rough in  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



- **Trim**, external parts for 2 ways shower diverter valve (992713).

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**962570**

Trim  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



- **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**992712+962569**

Complete  
**VOLUME CONTROL**  
use only with  
thermostatic valve



- Works only with cod. 992709 (Thermostatic Mixer)

- **Rough In** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

- FINISHES
- 10 Chrome

**992712**

Rough in  
**VOLUME CONTROL**  
use only with  
thermostatic valve



- **Trim**, external parts for stop valve (992712) for shower. flow rate: 12 GPM (45 PSI).

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**962569**

Trim  
**VOLUME CONTROL**  
use only with  
thermostatic valve



- **Complete** concealed 3/4", 3 ways diverter with stop, flow rate: 12 GPM (45 PSI).

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**992714+962571**

Complete  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



- Works only with cod. 992709 (Thermostatic Mixer)

- **Rough In** concealed 3/4", 3 ways diverter with stop, flow rate: 12 GPM (45 PSI).

- FINISHES
- 10 Chrome

**992714**

Rough in  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



- **Trim**, external parts for 3 ways shower diverter valve (992714).

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed Dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 68 Polish nickel

**962571**

Trim  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve





# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 553225 in Chrome?

Single handle faucet for bathroom sink, swivel spout, with pop-up waste 1 1/4", max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 50 Bronze
  - 51 Copper
  - 68 Polish nickel

553225



SERIES: Porter sink mixer      FINISH: 10 Chrome

553225 + 10

55322510

This is your complete code for a Porter sink mixer in Chrome.

This method is valide for all items in the Porter range.

# porter

553020 3 holes bathroom sink faucet



FINISHES  
10 Chrome / 50 Bronze  
51 Copper / 68 Polished Nickel

· 3 holes bathroom sink faucet with pop-up waste 1 1/4".  
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 50 Bronze
  - 51 Copper
  - 68 Polish nickel


**553020**



· Single lever mixer for bathroom sink, swivel spout, with pop-up waste 1 1/4".  
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 50 Bronze
  - 51 Copper
  - 68 Polish nickel

**553225**



553225  
**single lever mixer for bathroom sink**

· Wall mounted spout for bath-tub.

- FINISHES
- 10 Chrome
  - 50 Bronze
  - 51 Copper
  - 68 Polish nickel

**992195**



· Single hole bidet faucet, swivel spout, with pop-up waste 1 1/4".  
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 50 Bronze
  - 51 Copper
  - 68 Polish nickel

**554226**



· Pair (2) of concealed stop valves 3/4" with volume control.

- FINISHES
- 10 Chrome
  - 50 Bronze
  - 51 Copper
  - 68 Polish nickel

**551241**



· Complete deck-mount Roman bathtub faucet mixer 4 holes, complete with valve, diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 7.3 GPM.

- FINISHES
- 10 Chrome
  - 50 Bronze
  - 51 Copper
  - 68 Polish nickel

**551010**



- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
 10 Chrome  
 50 Bronze  
 51 Copper  
 68 Polish nickel

**992707+362011**

Complete  
**PRESSURE BALANCE**



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
 10 Chrome

**992707**

Rough in  
**PRESSURE BALANCE**



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES  
 10 Chrome  
 50 Bronze  
 51 Copper  
 68 Polish nickel

**362011**

Trim  
**PRESSURE BALANCE**



- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES  
 10 Chrome  
 50 Bronze  
 51 Copper  
 68 Polish nickel

**992772+422501**

Complete  
**THERMOSTATIC**  
 with volume control



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES  
 10 Chrome

**992772**

Rough in  
**THERMOSTATIC**  
 with volume control



- **Trim**, external parts for thermostatic valve (992772) for shower.

FINISHES  
 10 Chrome  
 50 Bronze  
 51 Copper  
 68 Polish nickel

**422501**

Trim  
**THERMOSTATIC**  
 with volume control



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
 10 Chrome  
 50 Bronze  
 51 Copper  
 68 Polish nickel

**992706+361021**

Complete  
**PRESSURE BALANCE**  
 with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
 10 Chrome

**992706**

Rough in  
**PRESSURE BALANCE**  
 with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES  
 10 Chrome  
 50 Bronze  
 51 Copper  
 68 Polish nickel

**361021**

Trim  
**PRESSURE BALANCE**  
 with diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES  
 10 Chrome  
 50 Bronze  
 51 Copper  
 68 Polish nickel

**992774+422503**

Complete  
**THERMOSTATIC**  
 with 2 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES  
 10 Chrome

**992774**

Rough in  
**THERMOSTATIC**  
 with 2 ways diverter



- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES  
 10 Chrome  
 50 Bronze  
 51 Copper  
 68 Polish nickel

**422503**

Trim  
**THERMOSTATIC**  
 with 2 ways diverter





# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 483010 in Chrome?

- Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES

10 Chrome

483010



**SERIES:** Porter sink mixer  
**FINISH:** 10 Chrome

483010 + 10

48301010

This is your complete code for a Pin sink mixer in **Chrome**.

This method is valide for all items in the Pin range.

Pin



483010 single lever mixer for bathroom sink

· Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES  
10 Chrome

**483010**



h: 5 45/64"

· Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

FINISHES  
10 Chrome

**483011**



h: 5 45/64"

· 3 holes washbasin mixer, swivel spout with waste Click-Clack 1 1/4". max flow: 1.8 GPM.

FINISHES  
10 Chrome

**483040**



l: 5 5/32"

· Tall single lever bathroom mixer with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES  
10 Chrome

**483077**



h: 11 17/32"

· Tall single lever bathroom mixer, without waste. max flow: 1.2 GPM.

FINISHES  
10 Chrome

**483018**



h: 11 17/32"

· Single lever mixer for bidet, without waste. max flow: 1.2 GPM.

FINISHES  
10 Chrome

**484011**



h: 5 45/64"

· Waste Click-Clack 1 1/4" with overflow.

FINISHES  
10 Chrome

**991424**



· Wall mounted spout for bath-tub.

FINISHES  
10 Chrome

**992112**



l: 9 3/16"

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992707+482011**

Complete  
PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992707**

Rough in  
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES  
10 Chrome

**482011**

Trim  
PRESSURE BALANCE



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
10 Chrome

**992713NS+482583**

Complete  
2 WAYS DIVERTER  
use only with  
thermostatic valve



• Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
10 Chrome

**992713NS**

Rough in  
2 WAYS DIVERTER  
use only with  
thermostatic valve



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES  
10 Chrome

**482583**

Trim  
2 WAYS DIVERTER  
use only with  
thermostatic valve



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992706+481021**

Complete  
PRESSURE BALANCE  
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992706**

Rough in  
PRESSURE BALANCE  
with diverter



- **Trim**, external parts for Pressure Balanced shower valve (992706), with automatic diverter.

FINISHES  
10 Chrome

**481021**

Trim  
PRESSURE BALANCE  
with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
10 Chrome

**992714NS+482584**

Complete  
3 WAYS DIVERTER  
use only with  
thermostatic valve



• Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES  
10 Chrome

**992714NS**

Rough in  
3 WAYS DIVERTER  
use only with  
thermostatic valve



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES  
10 Chrome

**482584**

Trim  
3 WAYS DIVERTER  
use only with  
thermostatic valve




All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)




483077  
**tall single lever mixer  
 for bathroom sink**


**483010**




**483011**




**483077**




**483018**




**483040**




**484011**




**991424**




**992112**




**992707+482011**




**992706+481021**



**992713NS+482583**



**992714NS+482584**



# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

EXAMPLE

How to order 883010 in Chrome?

Single lever mixer for bathroom sink, with pop-up waste 1 1/4", max flow: 1.2 GPM.

FINISHES

10 Chrome

883010



SERIES: 88 sink mixer  
FINISH: 10 Chrome

883010 + 10

88301010

This is your complete code for a 88 sink mixer in Chrome.

This method is valid for all items in the 88 range.



883077 tall single lever mixer for bathroom sink



883010  
single lever mixer for  
bathroom sink

· Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES  
10 Chrome

**883010**



h: 5 23/32"

· Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

FINISHES  
10 Chrome

**883011**



h: 5 23/32"

· 3 holes washbasin mixer, swivel spout with waste Click-Clack 1 1/4". max flow: 1.8 GPM.

FINISHES  
10 Chrome

**883040**



l: 5 5/32"

· Single lever mixer for bidet, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES  
10 Chrome

**884010**



h: 5 47/64"

· Tall single lever bathroom mixer with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES  
10 Chrome

**883077**



h: 10 27/64"

· Tall single lever bathroom mixer, without waste. max flow: 1.2 GPM.

FINISHES  
10 Chrome

**883018**



h: 10 27/64"

· Waste Click-Clack 1 1/4" with overflow.

FINISHES  
10 Chrome

**991424**



· Wall mounted spout for bath-tub.

FINISHES  
10 Chrome

**992112**



l: 9 3/16"

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
**10 Chrome**

**992707+882011**

Complete  
**PRESSURE BALANCE**



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
**10 Chrome**

**992707**

Rough in  
**PRESSURE BALANCE**



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES  
**10 Chrome**

**882011**

Trim  
**PRESSURE BALANCE**



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
**10 Chrome**

**992706+881021**

Complete  
**PRESSURE BALANCE**  
 with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
**10 Chrome**

**992706**

Rough in  
**PRESSURE BALANCE**  
 with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.


FINISHES  
**10 Chrome**

**881021**


Trim  
**PRESSURE BALANCE**  
 with diverter




**883010**




**883011**




**883077**




**883018**




**883040**




**884010**




**991424**




**992112**



**992707+882011**



**992706+881021**



# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 913010 in Chrome?

- Single lever mixer for bathroom sink, with pop-up waste. max flow: 1.2 GPM.

FINISHES

10 Chrome

913010



**SERIES:** Italo sink mixer  
**FINISH:** 10 Chrome

913010 + 10

91301010

This is your complete code for a Italo sink mixer in **Chrome**.

This method is valide for all items in the Italo range.



913010 single lever mixer for bathroom sink

# italio

· Single lever mixer for bathroom sink, with pop-up waste 1 1/4".  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**913010**



h: 4 7/8"


· Single lever mixer for bathroom sink, without waste.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**913011**



h: 4 7/8"



· Tall single lever bathroom mixer with pop-up waste 1 1/4".  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**913078**



h: 5 29/32"

· Tall single lever bathroom mixer, without waste.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**913045**




h: 5 29/32"

· Single lever mixer for bidet, with pop-up waste 1 1/4".  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**914010**



h: 4 7/8"

· Waste Click-Clack 1 1/4".

FINISHES  
**10 Chrome**

**991424**



· Wall mounted spout for bath-tub.

FINISHES  
**10 Chrome**

**992112**



l: 9 3/16"

· Wall mounted spout for bath-tub with diverter.

FINISHES  
**10 Chrome**

**9921H1**

Available from January 2021



l: 6 37/64"

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
**10 Chrome**

**992707+912011**

Complete  
PRESSURE BALANCE



- **Rough in**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
**10 Chrome**

**992707**

Rough in  
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES  
**10 Chrome**

**912011**

Trim  
PRESSURE BALANCE



italo

**COMPLETE SHOWER KIT  
PRESSURE BALANCED  
WITH 2 WAY DIVERTER**

10 Chrome

**91K041**



**992706+911021**

- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
**10 Chrome**

**composed by**

**9926V3**

- Horizontal 5 1/2" brass arm.

FINISHES  
**10 Chrome**

**9926R6**

- Abs headshower, Ø 3 5/32", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
**10 Chrome**

**992112**

- Wall mounted spout for bath-tub.

FINISHES  
**10 Chrome**

- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
**10 Chrome**

**992706+911021**

Complete  
PRESSURE BALANCE  
with diverter



- **Rough in**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
**10 Chrome**

**992706**

Rough in  
PRESSURE BALANCE  
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES  
**10 Chrome**

**911021**

Trim  
PRESSURE BALANCE  
with diverter



italo

**COMPLETE SHOWER KIT  
PRESSURE BALANCED**

10 Chrome

**91K055**



**992707+912011**

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
**10 Chrome**

**composed by**

**9926V3**

- Horizontal 5 1/2" brass arm.

FINISHES  
**10 Chrome**

**9926R6**

- Abs headshower, Ø 3 5/32", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
**10 Chrome**

**9921H1**

- Wall mounted spout for bath-tub with diverter.

FINISHES  
**10 Chrome**

Available from January 2021

Available from January 2021

All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)

italo

**COMPLETE SHOWER KIT  
PRESSURE BALANCED WITH  
1 WAY DIVERTER**

10 Chrome

**91K043**



**composed by**

**9920M8**

- Slide rail in brass  $\varnothing 7"$ , with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower 3 jets spray in abs. max flow: 2 GPM.

FINISHES

10 Chrome

**992707+912011**

- Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES

10 Chrome


**9926M3**

- Water delivery in brass.


FINISHES

10 Chrome


**913010**




**913011**




**913078**




**913045**




**914010**




**991424**




**992112**



**9921H1**



**992707+912011**



italo

**COMPLETE SHOWER KIT  
PRESSURE BALANCED WITH  
1 WAY DIVERTER**

10 Chrome

**91K042**



**composed by**

**9926V3**

- Horizontal 5 1/2" brass arm.

FINISHES

10 Chrome

**9926R6**

- Abs headshower  $\varnothing 3 5/32"$ , max flow: 2 GPM.

FINISHES

10 Chrome


**992707+912011**

- Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES

10 Chrome

**992706+911021**



# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 973010 in Chrome?

Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES

10 Chrome

973010



SERIES: Bella sink mixer  
FINISH: 10 Chrome

973010 + 10

97301010

This is your complete code for a Bella sink mixer in Chrome.

This method is valide for all items in the Bella range.



bella

Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES  
10 Chrome

FINISHES  
10 Chrome

FINISHES  
10C Chrome

973010

973011

973010C



h: 6 31/32"



h: 6 31/32"



h: 6 31/32"



973018  
tall single lever mixer  
for bathroom sink

Single lever mixer for bathroom sink, with extended spout without waste. max flow: 1.2 GPM.

Tall single lever bathroom mixer, without waste. max flow: 1.2 GPM.

Single lever mixer for bidet, with pop-up waste 1 1/4". max flow: 1.2 GPM.

Waste Click-Clack 1 1/4" with overflow.

Wall mounted spout for bath-tub.

Wall mounted spout for bath-tub with diverter.

FINISHES  
10C Chrome

FINISHES  
10 Chrome

973011C

973018

974010

991424

992112

9921H1




h: 6 31/32"



h: 10 21/64"



h: 5 19/32"



l: 9 3/16"



l: 6 37/64"

Available from January 2021

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992707+912011**

Complete  
PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992707**

Rough in  
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES  
10 Chrome

**912011**

Trim  
PRESSURE BALANCE



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992706+911021**

Complete  
PRESSURE BALANCE  
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992706**

Rough in  
PRESSURE BALANCE  
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES  
10 Chrome

**911021**

Trim  
PRESSURE BALANCE  
with diverter



bella

**COMPLETE SHOWER KIT  
PRESSURE BALANCED WITH  
2 WAYS DIVERTER**

10 Chrome

**91K044**

composed by

**9926V2**

- Horizontal 5 1/2" brass arm.

FINISHES  
10 Chrome



**992686**

- Abs headshower, Ø 3 5/32", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome



**992706+911021**

- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome



**991023**

- Fixed bracket in brass with water delivery, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs Ø 1". max flow: 2 GPM.

FINISHES  
10 Chrome



All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)

bella

**COMPLETE SHOWER KIT  
PRESSURE BALANCED  
2 WAY DIVERTER**

10 Chrome

**91K045**



**992706+911021**

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**composed by**

**9926V2**

- Horizontal 5 1/2" brass arm.

FINISHES  
10 Chrome

**992686**

- Abs headshower, Ø 3 5/32", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**992112**


- Wall mounted spout for bath-tub.

Available from May 2020


FINISHES  
10 Chrome




**973010**




**973011**




**973010C**




**973011C**




**973018**




**974010**




**991424**



**992112**



**9921H1**



bella

**COMPLETE SHOWER KIT  
PRESSURE BALANCED**

10 Chrome

**91K054**



**992707+912011**

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**composed by**

**9926V2**

- Horizontal 5 1/2" brass arm.

FINISHES  
10 Chrome

**992686**

- Abs headshower, Ø 3 5/32", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9921H1**


- Wall mounted spout for bath-tub with diverter.

Available from January 2021


FINISHES  
10 Chrome



**992707+912011**



**992706+911021**



# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



# Shampoo and Rinse



**EXAMPLE**

How to order 127092 in Chrome?

- Single lever shampoo and rinse mixer with pull-out shower. max flow: 1.2 GPM.

FINISHES  
**10 Chrome**



**SERIES:** Hair Dresser  
**FINISH:** 10 Chrome sink mixer

**127092 + 10**


**12709210**

This is your complete code for a Shampoo sink mixer in **Chrome**.

This method is valide for all items in the Shampoo range.


- Single lever shampoo and rinse mixer with pull-out shower, vacuum bracket. max flow: 1.2 GPM.

FINISHES  
**10 Chrome**



- Single lever thermostatic shampoo and rinse mixer with pull-out shower, vacuum bracket. max flow: 1.2 GPM.

FINISHES  
**10 Chrome**



**drop stop**  
on the floor

- The mixers for deck mounting on bath-tub or haidresser, when provided with a pull-out shower, are equipped with the special **drop-stop®** device that prevents water to penetrate through the flexible housing orifice.

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

EXAMPLE

How to order 125326 in Chrome?

- Single lever kitchen faucet with swivel spout max flow: 1.2 GPM.

FINISHES

10 Chrome

125314



**SERIES:** Kitchen sink mixer  
**FINISH:** 10 Chrome

125314 + 10

12531410

This is your complete code for a Kitchen sink mixer in **Chrome**.

This method is valide for all items in the Kitchen range.

# Kitchen



105337  
**single lever kitchen faucet**

- Single lever kitchen faucet with swivel spout. max flow: 1.2 GPM.

FINISHES  
10 Chrome

**125314**

idrotech



h: 14 61/64"

- Single lever kitchen mixer with swivel spout. max flow: 1.2 GPM.

FINISHES  
10 Chrome

**125362**

idrotech



h: 7 1/64"

- Single lever kitchen mixer with swivel spout and pull-out shower. max flow: 1.2 GPM.

FINISHES  
10 Chrome

**125363**

idrotech



h: 7 1/64"



125357  
single lever sink mixer

· Single lever kitchen faucet with swivel spout.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**075361**

young



h: 10 53/64"

· Single lever kitchen faucet with swivel spout.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**105355**

digit



h: 10 3/64"

· Single lever kitchen faucet with swivel spout.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**105337**

digit



h: 10 53/64"

· Single lever kitchen faucet with swivel spout and pull-out shower.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**105358**

digit



h: 17 21/64"




125350  
**single lever sink mixer**

· Single lever kitchen faucet with swivel spout.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**485317**



· Single lever kitchen faucet with swivel spout.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**


**885353**



· Single lever kitchen faucet with swivel spout and pull-out shower.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**


**265330**



· Single lever kitchen faucet with swivel spout and pull-out shower.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**355330**



· Single lever kitchen faucet with swivel spout.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**


**885354**



· Single lever kitchen faucet with swivel spout.  
max flow: 1.2 GPM.

FINISHES  
**10 Chrome**

**555815**





Single lever sink mixer with swivel spout.  
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze

**125360**

idrotech



h: 11 7/8"

Single lever sink mixer, with pull-out shower.  
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze

**125357**

idrotech



h: 13 3/16"

Single lever sink mixer with swivel spout  
and pull-out shower.  
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze

**125350**

digit



h: 17 13/64"

Single lever sink mixer with swivel spout.  
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish

**085353**

wild



h: 12 53/64"

Single lever sink mixer with swivel spout.  
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold

**025353**

mimo



h: 12 53/64"



chrome  
version




emporium kitchen


All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)


**125314**




**125362**




**125363**




**355330**




**125360**




**125357**




**075361**




**105355**




**105337**




**125350**




**085353**




**025353**




**105358**




**485317**




**885353**




**885354**



**555815**



**265330**



# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 995808 in Chrome?

- Inox headshower, 11 13/16" x 11 13/16", ceiling installation. max flow: 2.0 GPM.

FINISHES

10 Chrome

995808

[easy clean]



**SERIES:** Shower sink mixer  
**FINISH:** 10 Chrome

995808 + 10

99580810

This is your complete code for a Shower in Chrome.

This method is valide for all items in the Shower range.



# Shower



The easy way to remove limescale

[easy clean]

# PALAZZANI

· Inox headshower, 11 13/16" x 11 13/16", ceiling installation. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**995808**

[easy clean]



· Inox headshower, 11 13/16" x 11 13/16", 2 ceiling outlets. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**995809**

[easy clean]




· Inox headshower, Ø 11 1/32", ceiling installation. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**995810**

[easy clean]





· Inox headshower, 21" x 6 1/2", wall mounted. max flow: 2.0 GPM.

FINISHES  
10 Chrome

**9926H4**

[easy clean]



· Inox headshower, 21" x 6 1/2", 2 outlets, wall mounted. max flow: 2.0 GPM.

FINISHES  
10 Chrome  
36 Brushed dark nickel  
38 Matt Black  
49 Brushed Steel Finish

**9926H5**

[easy clean]



· Brass headshower, 12" x 12", horizontal brass arm. max flow: 2.0 GPM.

FINISHES  
10 Chrome

**9926A9+9926V2**

[easy clean]



· Inox headshower, Ø 12", horizontal brass arm. max flow: 2.0 GPM.

FINISHES  
10 Chrome

**9926V6+9926V2**

[easy clean]



· Brass headshower, Ø 12", horizontal brass arm. max flow: 2.0 GPM.

FINISHES  
10 Chrome

**9926A7+9926V2**

[easy clean]



· Wall mounted brass spout. max flow: 2.0 GPM.

FINISHES  
10 Chrome  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish

**9926L2**



· Inox flat profile headshower, 12" x 12", horizontal brass arm. max flow: 2.0 GPM.

FINISHES  
10 Chrome

**9926C1+9926V2**

[easy clean]



· Inox headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9926B8+9926V2**

[easy clean]



· Inox flat profile headshower, 8" x 8", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9926B9+9926V2**

[easy clean]



· Brass headshower, 8" x 8", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome  
34 Matt Copper  
36 Brushed dark nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
68 Polish Nickel

**992636+9926V2**

[easy clean]



· Abs headshower, 8" x 8", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**992687+9926V2**



· Brass headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**992610+9926V2**



· Abs headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**992686+9926V2**



· Abs headshower, Ø 5", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9926D9+9926V2**



· Abs headshower, Ø 3", horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome




· Abs headshower, Ø 3", 3 jets spray, horizontal brass arm. max flow: 1.8 GPM.

FINISHES  
10 Chrome




· Inox headshower, 8" x 8", max flow: 1.8 GPM.

FINISHES  
10 Chrome




· Abs headshower, 8" x 8", max flow: 1.8 GPM.

FINISHES  
10 Chrome



· Brass headshower, 8" x 8", max flow: 1.8 GPM.

FINISHES  
10 Chrome  
34 Matt Copper  
36 Brushed dark nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
68 Polish Nickel



· Brass headshower, Ø 12", max flow: 2.0 GPM.

FINISHES  
10 Chrome  
34 Matt Copper  
36 Brushed dark nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
68 Polish Nickel



· Brass headshower, 12" x 12", max flow: 2.0 GPM.

FINISHES  
10 Chrome  
34 Matt Copper  
36 Brushed dark nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
68 Polish Nickel



· Inox headshower, Ø 12", max flow: 2.0GPM.

FINISHES  
10 Chrome




· Inox headshower, 12" x 12", max flow: 2.0 GPM.

FINISHES  
10 Chrome



· Abs headshower, Ø 12", max flow: 2.0 GPM.

FINISHES  
10 Chrome



en showerium

· Brass headshower, Ø 8", max flow: 1.8 GPM.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel


**992610**



· Inox headshower, Ø 8", max flow: 1.8 GPM.

- FINISHES
- 10 Chrome


**9926B8**



· Abs headshower, Ø 8", max flow: 1.8 GPM.

- FINISHES
- 10 Chrome


**992686**



· Luxury horizontal Ø 13 1/2" brass arm.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel

**9926V2**



· Vertical Ø 8" brass arm.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel


**9926E3**



· Vertical 6" brass arm.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel

**9926M5**



· Inox headshower, Ø 5", max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

**9926D9**



· Abs headshower, Ø 3 5/32", max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

**9926R6**



· Abs headshower, Ø 3 5/32", 3 jets spray, max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

**9926R7**



· Luxury horizontal 13 1/2" brass arm.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel


**9926E2**



· Horizontal Ø 5 1/2" brass arm.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel

**9926V3**



· Horizontal 5 1/2" brass arm.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel

**995811**



en showerium

· Thermostatic mixer, shower column, shower rose, diverter, flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 1.8 GPM.

FINISHES

**10 Chrome**

**412068**

[acqua clima] [easy clean]



· Thermostatic mixer, shower column, shower rose, diverter, flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 1.8 GPM.

FINISHES

**10 Chrome**

**962068**

[acqua clima] [easy clean]




· Slide rail in brass, .6" x .6", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

FINISHES

**10 Chrome**

**9920B3**




· Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

FINISHES

**10 Chrome**

**992080**



emmerium shower

Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower 3 jets spray in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**992091**



Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9920M7**



Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower 3 jets spray in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9920M8**



Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9920N4**



Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9920N5**



Slide rail in brass, Ø .7", with swivel bracket in abs.

FINISHES  
10 Chrome

**9920C2**



Slide rail in brass, Ø .7", with swivel bracket in abs.

FINISHES  
10 Chrome  
50 Bronze  
51 Copper  
53 Gold  
68 Polish Nickel

**992052**



em showerarium

Slide rail in brass, Ø .7", with swivel bracket in abs.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel

**992086**



Slide rail in brass, .6" x .6", with swivel bracket in abs.

- FINISHES**
- 10 Chrome

**992041**



Slide rail in brass, Ø .7", with swivel bracket in abs.

- FINISHES**
- 10 Chrome

**992084**



Handshower in brass Ø 2". max flow: 1.8 GPM.

- FINISHES**
- 10 Chrome
  - 50 Bronze
  - 51 Copper
  - 53 Gold
  - 68 Polish Nickel

**991120**



Handshower in abs Ø 3 1/2" max flow: 1.8 GPM.

- FINISHES**
- 10 Chrome


**991111**



Handshower in abs Ø 4". max flow: 1.8 GPM.

- FINISHES**
- 10 Chrome

**991116**



Handshower in abs Ø 5". max flow: 1.8 GPM.

- FINISHES**
- 10 Chrome

**991118**



Handshower in abs Ø 4", 3 jets spray. max flow: 1.8 GPM.

- FINISHES**
- 10 Chrome


**991117**



Handshower in abs, Ø 3", 3 jets spray. max flow: 1.8 GPM.

- FINISHES**
- 10 Chrome
  - 38 Matt Black
  - 43 Matt White


**991112**



Handshower in abs 1" x 1". max flow: 1.8 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold


**991106**



Handshower in abs, Ø 1 1/32". max flow: 1.8 GPM.

- FINISHES**
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold

**991205**



Acrylic soap dish for slide rail Ø .7" / .8" / .1".

- FINISHES**
- 10 Chrome

**9920E7**



· Swivel bracket in brass with water delivery, flexible metal shower hose, 59" length, connection 1/2", handshower in abs Ø 2 11/64". max flow: 1.8 GPM.

· Fixed bracket in brass with water delivery, flexible Gliss shower hose, 59" length, connection 1/2" and handshower in abs Ø 3 1/2". max flow: 1.8 GPM.

· Fixed bracket in brass with water delivery, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs Ø 1". max flow: 1.8 GPM.

· Fixed bracket in brass.

· Fixed bracket in brass.

· Swivel bracket in abs.

- FINISHES
- 10 Chrome
  - 50 Bronze
  - 51 Copper
  - 53 Gold
  - 68 Polish Nickel

- FINISHES
- 10 Chrome


- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold

- FINISHES
- list price
  - 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel

- FINISHES
- 10 Chrome

- FINISHES
- 10 Chrome

**9910H1**



**9910C4**



**991023**




**9910B4**



**991045**



**991031**



· Fixed bracket in brass with water delivery, Gliss flexible hose, length 59" connections 1/2" and handshower in abs 1" x 1". max flow: 1.8 GPM.

· Handshower in abs shut-off. max flow: 1.8 GPM.

· Fixed bracket in abs, flexible metal shower hose, 59" length, connection 1/2" and shut-off handshower in abs. max flow: 1.8 GPM.

· Swivel bracket in abs.

· Swivel bracket in brass.

· Swivel bracket in brass.


- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold

- FINISHES
- 10 Chrome


**9910A9**




**991189**




**9910B1**




**991026**



**991050**



**9910L5**



em showerium

· Fixed bracket in brass with water delivery.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel

**991088**



· Fixed bracket in brass with water delivery.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel

**9910B3**



· Water delivery in brass.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel

**9926M3**



· Water delivery in brass.

- FINISHES
- 10 Chrome

**991063**



· Flexible metal shower hose, 59" length, connection 1/2", cover material chrome.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 51 Copper
  - 53 Gold
  - 68 Polish Nickel

**991006**



· Water delivery in brass.

- FINISHES
- 10 Chrome
  - 34 Matt Copper
  - 36 Brushed dark nickel
  - 38 Matt Black
  - 43 Matt White
  - 49 Brushed Steel Finish
  - 50 Bronze
  - 53 Gold
  - 68 Polish Nickel

**9926M2**



· Water delivery in brass.

- FINISHES
- 10 Chrome

**991011**



· Water delivery in brass.

- FINISHES
- 10 Chrome

**991012**



· Abs body spray, 5" x 5". max flow: 0.9 GPM.

- FINISHES
- 10 Chrome

**9926L4**



· Abs body spray, Ø 5". max flow: 0.9 GPM.

- FINISHES
- 10 Chrome

**9926L6**



· Body spray in brass 1.65" x 1.65". max flow: 0.9 GPM.

- FINISHES
- 10 Chrome


**9926L7**




· Body spray in brass Ø 2". max flow: 0.9 GPM.

- FINISHES
- 10 Chrome

**9926L8**



en showerium







All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)


9926R7




9926V2




9926E3




9926M5




9920C2




992052




992086




992041




9926E2




9926V3




995811




412068




992084




991120




9920E7




991117




962068



9920B3




992080




992091




991111




991116




991118




991112




9920M7




9920M8




9920N4




9920N5




991106




9910H1



991205




9910C4




All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)


**991023**




**9910A9**




**991189**




**9910B1**




**991063**




**9926L4**




**9926L6**




**9926L7**




**9910B4**




**991045**




**991031**




**991026**




**9926L8**




**991050**




**9910L5**




**991088**




**9910B3**




**9926M3**




**9926M2**



**991011**



**991012**



# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



**EXAMPLE**

How to order 994363 in Chrome?

Single towel rail 18".

**FINISHES**

10 Chrome

994363



**SERIES:** Accessories **FINISH:** 10 Chrome

994363 + 10

99436310

This is your complete code for a Accessories in **Chrome**.

This method is valide for all items in the Accessories range.



accessories

· Single towel rail 18".

FINISHES  
10 Chrome

**994363**



· Single towel rail 24".

FINISHES  
10 Chrome

**994364**



· Towel ring.

FINISHES  
10 Chrome


**994365**



· Bath robe hook.

FINISHES  
10 Chrome


**994367**



· Toilet roll holder.

FINISHES  
10 Chrome

**994371**



· Single towel rail 18".

FINISHES  
10 Chrome

994386



· Single towel rail 24".

FINISHES  
10 Chrome

994387



· Towel ring.

FINISHES  
10 Chrome

994388



· Bath robe hook.

FINISHES  
10 Chrome

994389



· Horizontal toilet roll holder.

FINISHES  
10 Chrome

994397



accessories

· Single towel rail 12".

· Single towel rail 18".

· Single towel rail 24".

· Soap dispenser complete with reservoir for liquid soap.

· 3 liters dustbin with lid and basket.

FINISHES  
10 Chrome



9943A7

9943A8

9943A9

9943C5

9943D4



· Bath robe hook.

· Toilet roll holder.

· Toilet roll holder.

· 5 liters dustbin with lid and basket.

· 12 liters dustbin with lid and basket.

FINISHES  
10 Chrome


9943H3

9943B4

9943B5

9943D5

9943D6



· 3 liters dustbin with lid and basket.

· 5 liters dustbin with lid and basket.

· 12 liters dustbin with lid and basket.

FINISHES  
43 White

FINISHES  
43 White

FINISHES  
43 White

**9943H6**

**9943E1**

**9943E2**



· 3 liters dustbin with lid and basket.

· 5 liters dustbin with lid and basket.

· 12 liters dustbin with lid and basket.

FINISHES  
38 Black

FINISHES  
38 Black

FINISHES  
38 Black \$ 127.00

**9943E3**

**9943E4**

**9943E5**




accessories


All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on [www.palazzaniusa.com](http://www.palazzaniusa.com)


994363




994364




994365




9943A9




9943H3




9943B4




994367




994371




994386




9943B5




9943C5




9943D4




994387




994388




994389




9943D5




9943D6




9943H6




9943E1




994397




9943A7




9943A8




9943E2




9943E3



9943E4



9943E5





# STARKS

- Built-in bathroom sink with waste ceramic cover, without overflow.

LIST PRICE \_\_\_\_\_

kubik50



- Built-in bathroom sink with waste ceramic cover, without overflow.

LIST PRICE \_\_\_\_\_

zena



- Built-in bathroom sink with waste ceramic cover, without overflow.

LIST PRICE \_\_\_\_\_

debug



- Top mount bathroom sink with taphole and overflow.

LIST PRICE \_\_\_\_\_

snap70



enormium sinks





spare  
parts

Cartridge without distributor, Ø 1 3/8".

FINISHES  
99

990220



**CLICK:** 371020 - 372010 - 372062 - 372063 - 372064 - 372065  
**SHAMPOO AND RINSE:** 127092 - 405334 - 407092  
**CUCINA:** 095348 - 105358 - 105360 - 123042 - 125115 - 125313 - 125314 - 125317 - 125326 - 125327 - 125348 - 125350 - 125363 - 125364 - 125362 - 125365 - 265330 - 355010 - 355115 - 355317 - 355330 - 405014 - 405025 - 405115 - 405317 - 405330 - 485115 - 485317 - 645426  
**DIGIT:** 102012 - 101022 - 121089 - 123089 - 123114 - 124043  
**FORMULA ELLE:** 771020 - 772010 - 772062 - 772063 - 772064 - 772065  
**IDROTECH:** 121011 - 121012 - 121015 - 121020 - 121025 - 121033 - 121034 - 121045 - 121058 - 121059 - 121074 - 121089 - 121150 - 122010 - 122015 - 122043 - 122062 - 122063 - 122064 - 122065 - 122092 - 122116 - 123010 - 123011 - 123012 - 123013 - 123014 - 123018 - 123042 - 123043 - 123063 - 123077 - 123114 - 124010 - 124011 - 124043  
**MIMO:** 022012 - 021022  
**MIS:** 561020 - 562010 - 562063 - 562064 - 562065  
**PIN:** 481022 - 482012  
**PORTER:** 361020 - 362010 - 362067 - 362068 - 362069 - 362070  
**TRACK:** 091012 - 091015 - 091020 - 091025 - 092010 - 092020 - 092026 - 092027 - 092062 - 092063 - 092064 - 092065  
**YOUNG:** 071020 - 072010  
**BB:** 881020 - 882010

Cartridge with distributor, Ø 1 3/8".

FINISHES  
99

990210



**KITCHEN:** 235011 - 235012 - 235315 - 235316 - 265017 - 265309 - 265315 - 265325 - 355013 - 355316 - 355320 - 355325 - 405010 - 405013 - 405316 - 405320 - 405325 - 485011  
**PIN:** 481010 - 481012 - 481013 - 481015 - 481095 - 482015 - 482020 - 482097 - 482116 - 483010 - 483011 - 483018 - 483077 - 483110 - 483111 - 484010 - 484011 - 484011 - 484110 - 484111

Cartridge pressure balance for concealed showers Ø 1 3/8".

FINISHES  
99

990205



Cartridge without distributor, Ø 1 3/8".

FINISHES  
99

990251



**BELLA:** 972015  
**SHAMPOO AND RINSE:** 447092  
**KITCHEN:** 025339 - 025353 - 025354 - 085339 - 085354 - 435017 - 435115 - 445017 - 445115 - 475014 - 475017 - 475115 - 475339 - 885115 - 885339 - 885353 - 885354  
**DIGIT:** 101010 - 101012 - 101015 - 102015 - 102020 - 103010 - 103011 - 103018 - 103038 - 103045 - 103077 - 103101 - 103102 - 103110 - 103111 - 103114 - 103138 - 103145 - 104010 - 104011 - 104110 - 104111  
**MIMO:** 021010 - 021012 - 021015 - 022015 - 022020 - 022116 - 022143 - 023018 - 023038 - 023045 - 023077 - 023114 - 023152 - 023153  
**TRACK:** 093010 - 093011 - 093018 - 093045 - 093077 - 093078 - 093079 - 093080 - 093081 - 093085 - 093086 - 093087 - 093088 - 094010 - 094011  
**WILD:** 081010 - 081012 - 081015 - 082015 - 082020 - 082116 - 082143 - 083101 - 083102 - 083153 - 084010 - 084011  
**YOUNG:** 071010 - 071012 - 071015 - 072020 - 072026 - 072126 - 072143 - 073010 - 073011 - 073014 - 073038 - 073045 - 073154 - 073155 - 073156 - 073157 - 073077 - 073018 - 073158 - 073159 - 074010 - 074011  
**BB:** 882068

Cartridge with distributor, Ø 1 3/8".

FINISHES  
99

990250



**BELLA:** 971010 - 971012 - 971015 - 973010 - 973011 - 974010 - 974011  
**MIMO:** 023010 - 023011 - 023110 - 023111 - 024010 - 024011 - 024110 - 024111  
**WILD:** 083018 - 083038 - 083045 - 083077  
**BB:** 881010 - 881012 - 881015 - 882015 - 882020 - 883010 - 883011 - 883018 - 883077 - 883110 - 883111 - 884010 - 884011 - 884110 - 884111

Other details are available on request

Other details are available on request

Cartridge without distributor, Ø 63/64".

Cartridge without distributor, Ø 63/64".

Thermostatic cartridge 3/4".

Standard headvalve 1/2".

Ceramic headvalve right 1/2", 90°.

Ceramic headvalve left 1/2", 90°.

FINISHES  
99

FINISHES  
99

FINISHES  
99

FINISHES  
99

FINISHES  
99

FINISHES  
99

**990253**



**990265**



**990252**



**991930**



**991910**



**991915**



**KITCHEN:** 565020  
**CLACK:** 031012 - 031015 - 031025 - 031096 - 032020 - 032026 - 033010 - 033011 - 033018 - 033038 - 033045 - 033077 - 033081 - 033097 - 034010 - 034011  
**CLICK:** 371012 - 371015 - 371025 - 371096 - 372020 - 372026 - 373010 - 373011 - 373018 - 373038 - 373045 - 373077 - 373081 - 373097 - 374010 - 374011  
**MIS:** 561012 - 561015 - 561025 - 562020 - 562026 - 563010 - 563011 - 563013 - 563018 - 563038 - 563045 - 563081 - 563083 - 563084 - 564010 - 564011

**DIGIT:** 103148  
**KITCHEN:** 105337 - 095339

**CLICK:** 212410 - 212414 - 212425 - 212426 - 212427  
**DIGIT:** 962066 - 962410 - 962414 - 962417 - 962418 - 962420 - 962424 - 962425 - 962426 - 962427 - 962428  
**MIS:** 012410 - 012414 - 012425 - 012426 - 012427 - 012428  
**TRACK:** 412066 - 412068 - 412410 - 412414 - 412417 - 412418 - 412420 - 412424 - 412425 - 412426 - 412427 - 412428

**KITCHEN:** 505010 - 505440 - 505445

**KITCHEN:** 555010 - 555060 - 555440 - 555815 - 625425  
**FORMULA MULTI:** 621158 - 621159 - 621160 - 621384 - 622044 - 622046 - 622060 - 622075 - 623040 - 623220 - 623222 - 624020 - 624030 - 624220  
**MIS:** 011013 - 011383 - 011384 - 011385 - 013030 - 013064  
**PORTER:** 551010 - 551020 - 551022 - 552014 - 552015 - 553020 - 553050 - 553106 - 553225 - 554020 - 554030 - 554050 - 554226 - 555060  
**TRACK:** 412060 - 412063 - 412128

**KITCHEN:** 555010 - 555060 - 555440 - 555815 - 625425  
**FORMULA MULTI:** 621158 - 621159 - 621160 - 621384 - 622044 - 622046 - 622060 - 622075 - 623040 - 623220 - 623222 - 624020 - 624030 - 624220  
**MIS:** 011013 - 011383 - 011384 - 011385 - 013030 - 013064  
**PORTER:** 551010 - 551020 - 551022 - 552014 - 552015 - 553020 - 553050 - 553106 - 553225 - 554020 - 554030 - 554050 - 554226 - 555060

■ Other details are available on request

■ Other details are available on request

emporium spare parts

· Ceramic headvalve 1/2", 180°.

FINISHES  
99

**991920**



**ADAMS:** 521011 - 521015 - 521020 - 521022 - 521133 - 521134 - 521146 - 521147 - 522014 - 522015 - 522117 - 522118 - 523025 - 523050 - 523080 - 523106 - 523110 - 523240 - 523242 - 523510 - 523613 - 524020 - 524021 - 524030 - 524120 - 524215 - 525060

· Ceramic headvalve left 3/4", 90°.

FINISHES  
99

**991925**



**CLICK:** 212414  
**DIGIT:** 962414 - 962418 - 966420  
**MIS:** 012414  
**TRACK:** 412414 - 412418 - 416420

· Extended shaft of concealed diverter right 1/2".

FINISHES  
10 Chrome

**991937**



**ITALIA:** 731240  
**RETRO:** 501180 - 501240

· Extended shaft ceramic of concealed diverter right 1/2", 90°.

FINISHES  
10 Chrome

**991952**



**ADAMS:** 521080 - 521240 - 523060  
**FORMULA MULTI:** 621240 - 621383 - 621384 - 621385 - 623060  
**MIS:** 021240  
**PORTER:** 553060 - 551240 - 551180

· Extended shaft ceramic of concealed diverter left 1/2", 90°.

FINISHES  
10 Chrome

**991953**



**PORTER:** 553060 - 551240 - 551180

· Cover plate 4"

FINISHES  
10 Chrome

**9916A4**



· Cover plate 8"

FINISHES  
10 Chrome

**9916A5**



■ Other details are available on request



■ Other details are available on request

· Extension 1 37/64" for concealed shower mixer Ø 1 37/64". (code 992707)

· Extension 1 37/64" for concealed shower with diverter Ø 1 37/64". (code 992706)

FINISHES  
99

FINISHES  
99



**How to use extension for concealed pressure balance valves**

Product	Description	Extension	Extension
		<b>shower mixer</b>	<b>shower with diverter</b>
		<b>992720</b>	<b>992725</b>
<b>992707</b>	<b>pressure balance</b>	<b>1</b>	
<b>992706</b>	<b>pressure balance + automatic diverter</b>		<b>1</b>

· Extension concealed 3/4" thermostatic valve. (code 992709).




· Extension concealed 3/4", 2 ways diverter with stop, (code 992713).

· Extension concealed stop valve 3/4" ceramic discs 90° with volume control. (code 992712).

FINISHES  
02

FINISHES  
02

FINISHES  
02



**How to use extension for concealed thermostatic valves**

Product	Description	Extension	Extension	Extension
		<b>thermostatic</b>	<b>diverter 3/4"</b>	<b>faucet 3/4"</b>
		<b>99279302</b>	<b>99279702</b>	<b>99279402</b>
<b>992772</b>	<b>thermostatic + faucet 3/4"</b>	<b>1</b>		<b>1</b>
<b>992774</b>	<b>thermostatic + diverter 2 ways</b>	<b>1</b>	<b>1</b>	
<b>992776</b>	<b>thermostatic + diverter 3 ways</b>	<b>1</b>	<b>1</b>	

Product	Description	Extension	Extension	Extension
		<b>thermostatic</b>	<b>diverter 3/4"</b>	<b>faucet 3/4"</b>
		<b>99279302</b>	<b>99279702</b>	<b>99279402</b>
<b>992709</b>	<b>thermostatic valve</b>	<b>1</b>		
<b>992712</b>	<b>concealed stop valve</b>			<b>1</b>
<b>992713</b>	<b>diverter 2 ways x thermostatic</b>		<b>1</b>	
<b>992714</b>	<b>diverter 3 ways x thermostatic</b>		<b>1</b>	
<b>992713NS</b>	<b>diverter 2 ways x pressure balance</b>		<b>1</b>	
<b>992714</b>	<b>diverter 3 ways x pressure balance</b>		<b>1</b>	



[www.palazzaniusa.com](http://www.palazzaniusa.com)

**PALAZZANI USA, Inc - Distribution**

**WAREHOUSE**

Warehouse - Kennesaw, Georgia USA

Corporate - Coral Gables, Florida

Office telephone - (305) 651-4470

Email - sales@palazzaniusa.com

For orders use this email: orders@palazzaniusa.com

Mobile orders (954) 471-1111

[www.palazzaniusa.com](http://www.palazzaniusa.com)



**Palazzani.eu srl**

**Headquarters & Factory**

Office telephone +39 0374-74141

Fax telephone +39 0374-74524