



# Decorative Plumbing Kitchen&Bath A Global Brand

NP

# PAVANZA



OVER 100 YEARS OF FAMILY TRADITION  
ITALIAN MADE & DESIGN

**CATALOG USA 4.1**



member of



**[www.palazzaniusa.com](http://www.palazzaniusa.com)**

In **1868**, the **Palazzani** family business, in Brescia Italy, began manufacturing bridge components, wooden packing crates and carriages. During World War I, the family foundry started to produce brass and bronze parts. In 1905, my family became the first manufacturer of taps in Lumezzane in Brescia and continues to this day to be very proactive in researching new and innovative solutions for plumbing fixtures for more than **30 countries**.

We can say today, "**Palazzani is a Global Brand**".

Without compromising the quality of material, design, engineering and production, Palazzani is **importing Italian decorative plumbing fixtures** at an affordable price in the USA market. Yes, that is correct, the Artisan Palazzani and Emporium will have a variety of handcrafted design product for your kitchen and bath. The Italian made products will maintain the all brass and chrome production and workmanship to sustain a product for many years of use.



*"Over my life's career in my family's business heritage since 1868, I have valued Italian culture, design, and quality in the success of manufacturing. So, our future is today and tomorrow we continue to produce the finest design and quality of products for the health and lifestyle for our global customers".*



*Marco Palazzani*

# I collection



**Highest**  
quality of  
brass

finest  
**Chrome**  
plating



# I **index**



## ITALIAN MADE

CULTURE ■ DESIGN ■ QUALITY

Palazzani welcomes you to its prestigious headquarters in Casalmorano (CR), an establishment of 170,000 square feet on an industrial land of 365,000 square feet, created to house technicians, materials, state-of-the-art machinery and an organization whose first commitment is to complete customer satisfaction. In our new showroom of 5,000 square feet you can see all our production.



**Selected materials,**  
first-class workmanship  
ensure **quality**,  
outstanding durability and  
using lead free brass.

# company




MADE IN ITALY



EDS



The  
**production**  
**cycle**  
is entirely performed  
in the plant.



# Over 100 years of Italian Culture

innovation,  
development  
and quality



1905

Factory workers 1905.

1927



Grandfather Comm.  
Natale Bonomi, 2nd generation, from  
1927, and President from 1947-1982.



The Bonomi's family.

1950

1930

Over 90 workers just in the foundry.



Great Grandfather  
Cav. Luigi Bonomi,  
President from 1905-1947.

# Over 100 years of Italian Culture



1950

1955

1959

1962

1964

1985

2001

In 1955 our relatives engineered and designed the first Gnutti Transfer Machine for the family business; the equipment became the best technology for faucets.

Dott. **Italo Palazzani**,  
since 1962 and President  
since 1982.

The new prestigious headquarters  
opening in Casalmorano.



Uncle **Luigi Bonomi**,  
3rd generation, 1959.



Marco Palazzani  
is the fourth  
generation  
of the family.



Dott. **Marco Palazzani**  
Vice President since 1985.

universal concealed system

# pressure balance



**992707**   **992706**   **unico®**

Our rough valves  
maybe installed  
**with a variety**  
of external trims.



■ 1: The rough valves may be installed **with all design collections**.

■ 2: Install **unico®**, the universal concealed body when fitting metal pipes.

■ 3: When installing taps you can choose from among many ranges of single lever or thermostatic mixers, without the need for adapters or initial installation modifications. **Unico®** is designed for transforming itself into the single-lever or thermostatic mixer according to the customer's choice, thus permitting economic management of the installation. Also **unico®** is available in the version with an incorporated diverter and with **2 and 3 ways diverter**.

universal concealed system

# thermostatic valve



**unico®**   **922772**   **992774**   **992776**



The simplest way to install  
and choose your shower mixer

# thermostatic valve

37°

39°  
**high  
performance** 38°

■ Palazzani invites you to a world of comfort and safety by using our energy and water saving shower system.

**Acquaclima®** technology provides constant flow of water temperature.

■ To avoid high temperature, **Acquaclima®** has a 38°C max stop button. This feature provides an internal anti-scalding system. You may enjoy a temperature a constant temperature setting.

■ **Acquaclima®** is an easy installation and maintenance.

Comfort, water saving,  
energy saving, safety,  
**easy installation** and **maintenance**.

# [cold start] Automatic Energy Saving

Hot water only when needed

Palazzani launches the **ColdStart** technology for the **Italo** and **Bella** faucet lines.

**ColdStart** reduces energy requirements **CO2 emissions**, using current technology. The innovative command ergonomics launches a new trend in the sanitaryware sector.

With **Palazzani ColdStart technology**, cold water flows when the handle is in the middle position. When the hanfle is in the central position with standard faucets, the water heater is activated immediately. However in the **ColdStart** faucet the water pipes are not filled with hot water instantly. The user can set the handle to the left. Remember, the right position of lever is not moveable.



## Excellent arguments in favor of ColdStart

Your main sales argument is considered by the potential for savings. In fact, the purchase of a mixer with **ColdStart** technology allows a considerable saving of energy and even money. From private customers to large hotels: the **ColdStart** assortment is certainly of interest for sale in the design activity.

# Our Certifications

Our certifications are available on line [www.csagroup.org](http://www.csagroup.org)



### Brass Declaration

All Palazzani's taps are made with the **brass conform** to:

- Brass CW 614N-UNI EN 12164 (*turnig brass*)
- Brass CW 617N-UNI EN 12165 (*molding brass*)
- Brass CuZn 37 Pb-UNI EN 753s (*casting brass*)

The faucet is designed and industrialized in PALAZZANI technical office to endure over time and that is why every product must pass stringent internal testing and challenging tests in our laboratories.

### Chrome-plating


The Palazzani's Chrome plating is according to **UNI EN 248**.

The chrome-plating is designed to withstand a test of more than 200 hours in saline ambient.

The taps surfaces are coated with layers of nickel and chrome up to 20 microns thickness.

▪ **Antonio Bullo** is not only a successful sculptor and teacher of Industrial Design of the I.S.I.A. of Faenza, Italy, but is also an Italian designer, whose large part of activity is dedicated to design the bathroom ambience. He has achieved important success designing ceramics, taps and faucets and has obtained important awards, but above all he has always earned consumer appreciation for the innovation, useful practicality and purity of his work's unmistakable lines. In this catalogue you'll find the products designed by Antonio Bullo for Palazzani.

Antonio Bullo



▪ **Andrea Zani** graduates in industrial design at Machina Lonati Fashion and Design Institute in 2005. His vocation as an industrial designer takes him to a constant quest for realities where craftsmanship of products and search for new lines blend. This allows him to create objects with innovative design that perfectly fit with the daily demands of the market. His portfolio consists of essentials objects with a rigorous shape but timeless. His collaboration with Palazzani concerns the restyling of some series of taps.

Andrea Zani

designers  
designers

# trade show

Now, producing special finishes... Copper, Gold, Dark Brushed Nickel...  
in the Adams Collection, the gold is 24K plating with Swarovski handles. All Made in Italy!




## EXPO

Salone del Mobile (International Bathroom Exhibition) - Milan  
Cersaie - Bologna  
ISH - Frankfurt  
IdéoBain - Parigi  
KBIS - Las Vegas / Orlando  
Unicera - Istanbul



# references



Hard Rock Hotel - Miami - USA



Hotel Trianon Palace - Versailles - Francia



Rotana Hotel - Erbil



Main Street Cupertino Residence - Cupertino - USA



Sheraton Hotel - Jeddah - Arabia Saudita



Crystal Palace Hotel - Trapani - Italia



Baia dei Mulini Resort - Trapani - Italia



Radisson Blu Resort &amp; Spa - Corsica - Francia



Hotel Galles Best Western - Milano - Italia

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

## EXAMPLE

How to order 093010  
in Chrome?

- Single lever mixer for bathroom sink,  
with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**093010**



**SERIES:**  
Track  
sink mixer

**FINISH:**  
10 Chrome

**093010 + 10**

**09301010**

This is your complete  
code for a Track sink  
mixer in **Chrome**.

This method is valid for all items in the Track range.

093010  
single lever mixer for  
bathroom sink





093018  
**tall single lever mixer  
for bathroom sink**

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.


**FINISHES**  
**10 Chrome**

**093010**

h: 5 27/64"

- Single lever mixer for bathroom sink, without waste.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**093011**

h: 5 27/64"

- Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.


**FINISHES**  
**10 Chrome**

**093085**

h: 6 41/64"

- Super-high single lever bathroom mixer with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.


**FINISHES**  
**10 Chrome**

**093079**

h: 14 3/8"

- Super-high single lever bathroom mixer without waste.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**093080**

14 3/8"

- Single lever mixer for bathroom sink, with extended spout without waste.  
max flow: 1.2 GPM.


**FINISHES**  
**10 Chrome**

**093086**

h: 6 41/64"

- Tall single lever bathroom mixer with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.


**FINISHES**  
**10 Chrome**

**093077**


h: 10 31/32"

- Tall single lever bathroom mixer without waste.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**093018**

h: 10 31/32"



- Complete concealed, single lever mixer for bathroom sink, with plate.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**093081**

l: 9 9/64"

- Single lever mixer for bidet, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**094010**

h: 5 15/32"


- Waste Click-Clack 1 1/4" with overflow.

**FINISHES**  
**10 Chrome**

**991424**

- Wall mounted spout for bath-tub.

**FINISHES**  
**10 Chrome**

**992117**

l: 10 14/64"



- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992707+092011**

Complete  
**PRESSURE BALANCE**



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992707**

Rough in  
**PRESSURE BALANCE**



- **Trim**, external parts for Pressure Balance shower valve (992707).

**FINISHES**  
10 Chrome

**092011**

Trim  
**PRESSURE BALANCE**



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992713NS+412570**

Complete  
**2 WAYS DIVERTER**  
use only with pressure balance

california  
approved



• Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992713NS**

Rough in  
**2 WAYS DIVERTER**  
use only with pressure balance



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

**FINISHES**  
10 Chrome

**412570**

Trim  
**2 WAYS DIVERTER**  
use only with pressure balance



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992706+091021**

Complete  
**PRESSURE BALANCE**  
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992706**

Rough in  
**PRESSURE BALANCE**  
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

**FINISHES**  
10 Chrome

**091021**

Trim  
**PRESSURE BALANCE**  
with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992714NS+412571**

Complete  
**3 WAYS DIVERTER**  
use only with pressure balanced

california  
approved



• Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992714NS**

Rough in  
**3 WAYS DIVERTER**  
use only with pressure balanced



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

**FINISHES**  
10 Chrome

**412571**

Trim  
**3 WAYS DIVERTER**  
use only with pressure balanced



- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992772+412501**

Complete  
**THERMOSTATIC**  
with volume control



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992772**

Rough in  
**THERMOSTATIC**  
with volume control



- **Trim**, external parts for thermostatic valve (992772) for shower.

**FINISHES**  
10 Chrome

**412501**

Trim  
**THERMOSTATIC**  
with volume control



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992776+412505**

Complete  
**THERMOSTATIC**  
with 3 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992776**

Rough in  
**THERMOSTATIC**  
with 3 ways diverter



- **Trim**, external parts for thermostatic valve (992776) for shower.

**FINISHES**  
10 Chrome

**412505**

Trim  
**THERMOSTATIC**  
with 3 ways diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992774+412503**

Complete  
**THERMOSTATIC**  
with 2 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992774**

Rough in  
**THERMOSTATIC**  
with 2 ways diverter



- **Trim**, external parts for thermostatic valve (992774) for shower.

**FINISHES**  
10 Chrome

**412503**

Trim  
**THERMOSTATIC**  
with 2 ways diverter



- **Complete** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

- **Rough In** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

- **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992709+412568**

Complete  
**THERMOSTATIC**  
valve



**FINISHES**  
10 Chrome

**992709**

Rough in  
**THERMOSTATIC**  
valve



**FINISHES**  
10 Chrome

**412568**

Trim  
**THERMOSTATIC**  
valve



- **Complete** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

- **Rough In** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

- **Trim**, external parts for 2 ways shower diverter valve (992713).

**FINISHES**  
10 Chrome

**992713+412570**

Complete  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



california  
approved

- Works only with code 992709  
(Thermostatic Mixer)

**FINISHES**  
10 Chrome

**992713**

Rough in  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



**FINISHES**  
10 Chrome

**412570**

Trim  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



- **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

- **Rough In** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

- **Trim**, external parts for stop valve (992772) for shower. flow rate: 12 GPM (45 PSI).

- **Complete** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

- **Rough In** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

- **Trim**, external parts for 3 ways shower diverter valve (992714).

**FINISHES**  
10 Chrome

**FINISHES**  
10 Chrome

**FINISHES**  
10 Chrome

**992712+412569**

Complete  
**VOLUME CONTROL**  
use only with  
thermostatic valve

california  
approved



- Works only with code 992709  
(Thermostatic Mixer)

**992712**

Rough in  
**VOLUME CONTROL**  
use only with  
thermostatic valve



**412569**

Trim  
**VOLUME CONTROL**  
use only with  
thermostatic valve



**FINISHES**  
10 Chrome

**992714+412571**

Complete  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve

california  
approved



- Works only with code 992709  
(Thermostatic Mixer)

**FINISHES**  
10 Chrome

**992714**

Rough in  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



**FINISHES**  
10 Chrome

**412571**


Trim  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



- Floor standing bath-shower faucet, with flexible metal shower hose, 59" length, connection 1/2" and handshower in abs 1" x 1".  
max flow: 6.5 GPM.

**FINISHES**  
**10 Chrome**

**091156**



h: 6 41/64"

## track COMPLETE SHOWER KIT THERMOSTATIC WITH 2 WAYS DIVERTER

**10 Chrome**

**41K046**

**composed by**

**9926E2**

- Luxury horizontal 13 1/2" brass arm.



**9926A9**

- Brass headshower 12" x 12".



**992774+412503**

- Complete 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control.  
flow rate: 10 GPM (45 PSI).



























**992121**

- Wall mounted spout for bath-tub.



**FINISHES**  
**10 Chrome**

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

**093010****093011****093085****992707+092011****992706+091021****992713NS+412570****093086****093077****093018****992714NS+412571****992772+412501****992774+412503****093079****093080****993081****992776+412505****992709+412568****992712+412569****094010****991424****992117****992713+412570****992714+412571****091156**

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



## EXAMPLE

# How to order 373010 in chrome?

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**373010**



**SERIES:** Click sink mixer    **FINISH:** 10 Chrome

**373010+10**

**37301010**

This is your complete code for a Click sink mixer in **Chrome**.

This method is valide for all items in the Click range.



**373010  
single lever mixer for  
bathroom sink**

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**373010**

h: 5 9/32"

- Single lever mixer for bathroom sink, without waste.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**373011**

h: 5 9/32"

- Tall single lever bathroom mixer with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**373077**

h: 11 5/32"

- Tall single lever bathroom mixer without waste.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**373018**

h: 11 5/32"

- Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**373078**

h: 5 9/32"

- Single lever mixer for bathroom sink, with extended spout without waste.  
max flow: 1.2 GPM.


**FINISHES**  
**10 Chrome**

**373045**

h: 5 9/32"

- Complete concealed, single lever mixer for bathroom sink, with plate.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**373081**

l: 9 5/64"

- Single lever mixer for bidet, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**374010**

h: 5 17/32"

- Waste Click-Clack 1 1/4" with overflow.

**FINISHES**  
**10 Chrome**

**991424**

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992707+372011**

Complete  
**PRESSURE BALANCED**



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992707**

Rough in  
**PRESSURE BALANCED**



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES  
10 Chrome

**372011**

Trim  
**PRESSURE BALANCED**



- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES  
10 Chrome

**992772+212501**

Complete  
**THERMOSTATIC**  
with volume control



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES  
10 Chrome

**992772**

Rough in  
**THERMOSTATIC**  
with volume control



- **Trim**, external parts for thermostatic valve (992772) for shower.

FINISHES  
10 Chrome

**212501**

Trim  
**THERMOSTATIC**  
with volume control



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992706+371021**

Complete  
**PRESSURE BALANCE**  
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES  
10 Chrome

**992706**

Rough in  
**PRESSURE BALANCE**  
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES  
10 Chrome

**371021**

Trim  
**PRESSURE BALANCE**  
with diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES  
10 Chrome

**992774+212503**

Complete  
**THERMOSTATIC**  
with 2 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES  
10 Chrome

**992774**

Rough in  
**THERMOSTATIC**  
with 2 ways diverter



- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES  
10 Chrome

**212503**

Trim  
**THERMOSTATIC**  
with 2 ways diverter



All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

**FINISHES****10 Chrome****992776+212505**

Complete  
**THERMOSTATIC**  
with 3 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES****10 Chrome****992776**















Rough in  
**THERMOSTATIC**  
with 3 ways diverter



- **Trim**, external parts for thermostatic valve (992776) for shower.

**FINISHES****10 Chrome****212505**

Trim  
**THERMOSTATIC**  
with 3 ways diverter

**373010****373011****373078****373045****373077****373018****373081****374010****991424****992707+372011****992706+371021****992772+212501****992774+212503****992776+212505**

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

## EXAMPLE

How to order 033010  
in chrome?

- Single handle mixer for bathroom sink,  
with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

FINISHES
10 Chrome
<b>033010</b>



SERIES:  
Clack  
sink mixer

FINISH:  
10 Chrome

**033010 + 10**

**03301010**

This is your complete  
code for a Clack sink  
mixer in **Chrome**.

This method is valid for all items in the Clack range.

# Clack



033010  
single lever mixer for  
bathroom sink

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**033010**

h: 5 3/64"

- Single lever mixer for bathroom sink, without waste.  
max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**033011**


h: 5 3/64"

- Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**033078**

h: 5 17/32"



**093078**  
**single lever mixer for  
bathroom sink**

- Single lever mixer for bathroom sink, with extended spout without waste.  
max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**033045**

h: 5 17/32"

- Tall single lever bathroom mixer with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.


**FINISHES**  
10 Chrome

**033077**

h: 11 13/32"

- Tall single lever bathroom mixer without waste.  
max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**033018**


h: 11 13/32"

- Complete concealed, single lever mixer for bathroom sink, with plate.  
max flow: 1.2 GPM.
- Single lever mixer for bidet, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.
- Waste Click-Clack 1 1/4" with overflow.

**FINISHES**  
10 Chrome

**033081**

**FINISHES**  
10 Chrome

**034010**

h: 5 17/32"

- Waste Click-Clack 1 1/4" with overflow.

**FINISHES**  
10 Chrome

**991424**

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992707+032011**

Complete  
**PRESSURE BALANCE**



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992707**

Rough in  
**PRESSURE BALANCE**



- **Trim**, external parts for Pressure Balance shower valve (992707).

**FINISHES**  
10 Chrome

**032011**

Trim  
**PRESSURE BALANCE**



- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992772+212501**

Complete  
**THERMOSTATIC**  
with volume control



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992772**

Rough in  
**THERMOSTATIC**  
with volume control



- **Trim**, external parts for thermostatic valve (992772) for shower.

**FINISHES**  
10 Chrome

**212501**

Trim  
**THERMOSTATIC**  
with volume control



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992706+031021**

Complete  
**PRESSURE BALANCE**  
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992706**

Rough in  
**PRESSURE BALANCE**  
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

**FINISHES**  
10 Chrome

**031021**

Trim  
**PRESSURE BALANCE**  
with diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992774+212503**

Complete  
**THERMOSTATIC**  
with 2 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992774**

Rough in  
**THERMOSTATIC**  
with 2 ways diverter



- **Trim**, external parts for thermostatic valve (992774) for shower.

**FINISHES**  
10 Chrome

**212503**

Trim  
**THERMOSTATIC**  
with 2 ways diverter



All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992776+212505**

Complete  
**THERMOSTATIC**  
with 3 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992776**

Rough in  
**THERMOSTATIC**  
with 3 ways diverter



- **Trim**, external parts for thermostatic valve (992776) for shower.


**FINISHES**  
10 Chrome

**212505**


Trim  
**THERMOSTATIC**  
with 3 ways diverter




**033010**




**033011**




**033078**




**033045**




**033077**




**033018**




**033081**




**034010**







**991424**



**992707+032011**



**992706+031021** **992772+212501** **992774+212503** **992776+212505**



collect  
clack on

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



## EXAMPLE

How to order 563085  
in Matt Black?

- Single handle faucet for bathroom sink with extended spout, Click-Clack 1 1/4", max flow: 1.2 GPM

### FINISHES

- 10 Chrome
- 13 Chrome White
- 27 Chrome Black
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black**
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel

**563085**



**SERIES:** Mis sink mixer    **FINISH:** 38 Matt Black

**563085 + 38**

**56308538**

This is your complete code for a Mis sink mixer in **Matt Black**.

This method is valid for all items in the Mis range.







563085  
**single lever mixer for  
bathroom sink**

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**563010**

h: 5 3/64"

- Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**563011**

h: 5 3/64"

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**  
10 Chrome  
13 Chrome White  
27 Chrome Black  
34 Matt Copper  
36 Brushed Dark Nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
63 Matt Gold  
68 Polished nickel

**563085**

h: 5 3/64"

- Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome  
13 Chrome White  
27 Chrome Black  
34 Matt Copper  
36 Brushed Dark Nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
63 Matt Gold  
68 Polished nickel

**563086**

h: 5 3/64"

**563085**

**single lever mixer for  
bathroom sink**

- Tall single lever bathroom mixer with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**

10 Chrome  
13 Chrome White  
27 Chrome Black  
34 Matt Copper  
36 Brushed Dark Nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
63 Matt Gold  
68 Polished nickel

**563077**

h: 10 47/64"


- Tall single lever bathroom mixer without waste. max flow: 1.2 GPM.

**FINISHES**

10 Chrome  
13 Chrome White  
27 Chrome Black  
34 Matt Copper  
36 Brushed Dark Nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
63 Matt Gold  
68 Polished nickel

**563018**

h: 10 47/64"



**563077**  
**tall single lever mixer  
for bathroom sink**

- 3 holes washbasin mixer, swivel spout with waste Click-Clack 1 1/4". max flow: 1.8 GPM.

**FINISHES**

10 Chrome  
13 Chrome White  
27 Chrome Black  
34 Matt Copper  
36 Brushed Dark Nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
63 Matt Gold  
68 Polished nickel

**013030**

l: 6 55/64"

- Wall mounted 3 holes washbasin faucet. max flow: 1.8 GPM.

**FINISHES**

10 Chrome  
13 Chrome White  
27 Chrome Black  
34 Matt Copper  
36 Brushed Dark Nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
63 Matt Gold  
68 Polished nickel


**013064**

l: 6 23/32"

- Complete concealed, single handle mixer for bathroom sink, with plate. max flow: 1.2 GPM.

**FINISHES**

10 Chrome  
13 Chrome White  
27 Chrome Black  
34 Matt Copper  
36 Brushed Dark Nickel  
38 Matt Black  
43 Matt White  
49 Brushed Steel Finish  
50 Bronze  
53 Gold  
63 Matt Gold  
68 Polished nickel

**563081**

**563081**  
**single handle mixer  
for bathroom sink**

- Single lever mixer for bidet, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome
13 Chrome White
27 Chrome Black
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**564011**

h: 5 3/64"

- Waste Click-Clack 1 1/4" with overflow.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**991424**


- Pair (2) of concealed stop valves 3/4" with volume control.

FINISHES
10 Chrome
13 Chrome White
27 Chrome Black
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**011241**

- Wall mounted spout for bath-tub.


FINISHES
10 Chrome
13 Chrome White
27 Chrome Black
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**9921E7**

l: 9 15/64"

- Deck-mount bath filler faucet 3 holes, complete with valve and spout. max flow: 6.3 GPM.


FINISHES
10 Chrome
13 Chrome White
27 Chrome Black
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**011013**

l: 7 29/64"

- Complete deck-mount Roman bathtub faucet mixer 4 holes, complete with valve, diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 6.3 GPM.

FINISHES
10 Chrome
13 Chrome White
27 Chrome Black
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**011394**

l: 7 29/64"

**564011**  
**single lever mixer  
for bidet**



- Complete concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
13 Chrome White
27 Chrome Black
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**992707+562011**Complete  
**PRESSURE BALANCE**

- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

**992707**Rough in  
**PRESSURE BALANCE**

- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome
13 Chrome White
27 Chrome Black
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**562011**Trim  
**PRESSURE BALANCE**

- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**992713NS+922570**Complete  
**2 WAYS DIVERTER**  
use only with  
pressure balance

• Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

**992713NS**Rough in  
**2 WAYS DIVERTER**  
use only with  
pressure balance

- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**922570**Trim  
**2 WAYS DIVERTER**  
use only with  
pressure balance

- Complete concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
13 Chrome White
27 Chrome Black
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**992706+561021**Complete  
**PRESSURE BALANCE**  
with diverter

- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

**992706**Rough in  
**PRESSURE BALANCE**  
with diverter

- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
10 Chrome
13 Chrome White
27 Chrome Black
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**561021**Trim  
**PRESSURE BALANCE**  
with diverter

- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**992714NS+922571**Complete  
**3 WAYS DIVERTER**  
use only with  
pressure balance

• Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

**992714NS**Rough in  
**3 WAYS DIVERTER**  
use only with  
pressure balance

- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES
----------

**922571**Trim  
**3 WAYS DIVERTER**  
use only with  
pressure balance

- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**992772+922501**

Complete  
**THERMOSTATIC**  
with volume control



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992772**

Rough in  
**THERMOSTATIC**  
with volume control



- **Trim**, external parts for thermostatic valve (992772) for shower.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**922501**

Trim  
**THERMOSTATIC**  
with volume control



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**992776+922505**

Complete  
**THERMOSTATIC**  
with 3 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992776**

Rough in  
**THERMOSTATIC**  
with 3 ways diverter



- **Trim**, external parts for thermostatic valve (992776) for shower.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**922505**

Trim  
**THERMOSTATIC**  
with 3 ways diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**992774+922503**

Complete  
**THERMOSTATIC**  
with 2 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992774**

Rough in  
**THERMOSTATIC**  
with 2 ways diverter



- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

**922503**

Trim  
**THERMOSTATIC**  
with 2 ways diverter



- **Complete** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).
- **Rough In** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

- **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

**992709+922568**

Complete  
**THERMOSTATIC**  
valve

**992709**

Rough in  
**THERMOSTATIC**  
valve

**922568**

Trim  
**THERMOSTATIC**  
valve



- **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).
- **Rough In** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

- **Trim**, external parts for stop valve (992772) for shower. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

**992712+922569**

Complete  
**VOLUME CONTROL**  
use only with  
thermostatic valve

california  
approved

**992712**

Rough in  
**VOLUME CONTROL**  
use only with  
thermostatic valve

**922569**

Trim  
**VOLUME CONTROL**  
use only with  
thermostatic valve



- **Complete** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
63 Matt Gold
68 Polished nickel

- **Rough In** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

**992714+922571**

Complete  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve

california  
approved



- **Rough In** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

**992714**

Rough in  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



- **Trim**, external parts for 2 ways shower diverter valve (992713).

FINISHES
----------

- **Trim**, 2 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 2 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 3 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 3 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 3 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 3 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 3 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 3 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 3 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 3 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 3 ways diverter use only with thermostatic valve

FINISHES
----------

- **Trim**, 3 ways diverter use only with thermostatic valve

FINISHES



<tbl\_r cells="1" ix="3" maxcspan



• Complete floor standing wall mounted bath shower mixer and flexible metal shower hose, 59" length, connection 1/2". max flow: 6.5 GPM.

**FINISHES**

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel

**561156**



h: 38 39/64"



mis

## COMPLETE SHOWER KIT PRESSURE BALANCED WITH 2 WAYS DIVERTER

## FINISHES

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel

**56K049**

composed by

**9926V2**

- Luxury horizontal, 13 1/2" brass arm.



## FINISHES

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel

**9926A7**

- Brass headshower, Ø 12".



## FINISHES

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel

**992706+561021**

- Complete concealed Pressure Balance single lever faucet for bath shower with automatic diverter, flow rate: 6.5 GPM (45 PSI).



## FINISHES

- 10 Chrome
- 13 Chrome White
- 27 Chrome Black
- 34 Matt Copper
- 36 Brushed Dark nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel

**9921E7**

- Wall mounted spout for bath-tub.



## FINISHES

- 10 Chrome
- 13 Chrome White
- 27 Chrome Black
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel



mis

## COMPLETE SHOWER KIT THERMOSTATIC WITH 2 WAYS DIVERTER

## FINISHES

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel

**92K050**

composed by

**9926V2**

- Luxury horizontal, 13 1/2" brass arm.



## FINISHES

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel

**9926A7**

- Brass headshower, Ø 12".



## FINISHES

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel

**992774+962503**

- Complete 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).



## FINISHES

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel

**991023**

- Fixed bracket in brass with water delivery, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs Ø .1".



## FINISHES

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold
- 63 Matt Gold
- 68 Polished nickel



# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



## EXAMPLE

How to order 583010  
in Matt Black?

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

### FINISHES

- |                         |
|-------------------------|
| 10 Chrome               |
| 38 Matt Black           |
| 43 Matt White           |
| 49 Brushed Steel Finish |

583010



SERIES: Qadra FINISH: 38 Matt Black  
sink mixer

563010 + 38

56301038

This is your complete code  
for a Qadra sink mixer in  
**Matt Black**.

This method is valid for all items in the Qadra range.

583010  
single lever mixer for  
bathroom sink



- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish

**583010**

h: 6 5/64"

- Single lever mixer for bathroom sink, without waste.  
max flow: 1.2 GPM.

**FINISHES**  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish

**583011**

h: 6 5/64"

- Single handle mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish

**583038**

h: 7 13/32"

- Single lever mixer for bathroom sink, with extended spout without waste.  
max flow: 1.2 GPM.

**FINISHES**  
 10 Chrome  
 38 Matt Black  
 43 Matt White  
 49 Brushed Steel Finish

**583045**

h: 7 13/32"



**583010**  
**single lever mixer for bathroom sink**

- Tall single lever bathroom mixer with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**583013**

h: 11 13/32"

- Tall single lever bathroom mixer without waste. max flow: 1.2 GPM.


FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**583018**

h: 11 13/32"

- Single lever mixer for bidet, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**584011**

h: 5 7/8"

- Waste Click-Clack 1 1/4" with overflow.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**991424**

- Floor standing bath-shower faucet, with flexible metal shower hose, 59" length, connection 1/2" and handshower in abs 1" x 1". max flow: 6.5 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**581156**

h:

h: 6 41/64"



563013  
tall single lever mixer  
for bathroom sink

- Complete deck-mount Roman bathtub faucet mixer 4 holes, with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 6.3 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**581394**

co | qadra | on

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992707+582011**Complete  
**PRESSURE BALANCE**

- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

**992707**Rough in  
**PRESSURE BALANCE**

- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**582011**Trim  
**PRESSURE BALANCE**

- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992713NS+412570****2 WAYS DIVERTER**  
use only with pressure balancecalifornia  
approved

• Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

**992713NS**Rough in  
**2 WAYS DIVERTER**  
use only with pressure balance

- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**412570**Trim  
**2 WAYS DIVERTER**  
use only with pressure balance

- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992706+581021**Complete  
**PRESSURE BALANCE**  
with diverter

- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

**992706**Rough in  
**PRESSURE BALANCE**  
with diverter

- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**581021**Trim  
**PRESSURE BALANCE**  
with diverter

- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992714NS+412571****3 WAYS DIVERTER**  
use only with pressure balancecalifornia  
approved

• Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

**992714NS**Rough in  
**3 WAYS DIVERTER**  
use only with pressure balance

- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**412571**Trim  
**3 WAYS DIVERTER**  
use only with pressure balance

- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992772+412501**Complete  
**THERMOSTATIC**  
with volume control

- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992772**Rough in  
**THERMOSTATIC**  
with volume control

- **Trim**, external parts for thermostatic valve (992772) for shower.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**412501**Trim  
**THERMOSTATIC**  
with volume control

- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992776+412505**Complete  
**THERMOSTATIC**  
with 3 ways diverter

- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992776**Rough in  
**THERMOSTATIC**  
with 3 ways diverter

- **Trim**, external parts for thermostatic valve (992776) for shower.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**412505**Trim  
**THERMOSTATIC**  
with 3 ways diverter

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992774+412503**Complete  
**THERMOSTATIC**  
with 2 ways diverter

- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992774**Rough in  
**THERMOSTATIC**  
with 2 ways diverter

- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**412503**Trim  
**THERMOSTATIC**  
with 2 ways diverter

- **Complete** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992709+412568**Complete  
**THERMOSTATIC**  
valve

FINISHES
10 Chrome

**992709**Rough in  
**THERMOSTATIC**  
valve

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**412568**Trim  
**THERMOSTATIC**  
valve

- **Complete** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992713+412570**Complete  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve

- Works only with code 992709  
(Thermostatic Mixer)

- **Rough In** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

**992713**Rough in  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve

- **Trim**, external parts for 2 ways shower diverter valve (992713).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**412570**Trim  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve

- **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992712+412569**Complete  
**VOLUME CONTROL**  
use only with  
thermostatic valve

- Works only with code 992709  
(Thermostatic Mixer)

FINISHES
10 Chrome

**992712**Rough in  
**VOLUME CONTROL**  
use only with  
thermostatic valve

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**412569**Trim  
**VOLUME CONTROL**  
use only with  
thermostatic valve

- **Complete** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**992714+412571**Complete  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve

- Works only with code 992709  
(Thermostatic Mixer)

- **Rough In** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

**992714**Rough in  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve

- **Trim**, external parts for 3 ways shower diverter valve (992714).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish

**412571**Trim  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



qadra

**COMPLETE SHOWER KIT  
THERMOSTATIC WITH 2 WAYS DIVERTER**

- 10 Chrome
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish

**41K051****composed by****9926E2**

- Luxury horizontal brass shower arm 13 1/2".

**FINISHES**

- 10 Chrome
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish

**9926A9**

- Brass headshower, 12" x 12".

**FINISHES**

- 10 Chrome
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish

**9926L2**

- Wall mounted brass spout.

**FINISHES**

- 10 Chrome
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish

**992776+412505**

- Complete 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**

- 10 Chrome
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish

**9910A9**

- Fixed bracket in brass with water delivery included, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs 1" x 1". max flow: 2 GPM.

**FINISHES**

- 10 Chrome
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish



qadra

**COMPLETE SHOWER KIT  
THERMOSTATIC WITH 2 WAYS DIVERTER**

- |                                |             |
|--------------------------------|-------------|
| <u>10 Chrome</u>               | \$ 1,638.00 |
| <u>38 Matt Black</u>           | \$ 2,160.00 |
| <u>43 Matt White</u>           | \$ 2,160.00 |
| <u>49 Brushed Steel Finish</u> | \$ 2,421.00 |

**41K052****composed by****9926E2**

- Luxury horizontal brass shower arm 13 1/2".

**FINISHES**

- 10 Chrome
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish

**9926A9**

- Brass headshower, 12" x 12".

**FINISHES**

- 10 Chrome
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish

**992774+412503**

- Complete 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**

- 10 Chrome
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish

**9910A9**

- Fixed bracket in brass with water delivery included, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs 1" x 1". max flow: 2 GPM.






















**FINISHES**

- 10 Chrome
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish



All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

**583010****583011****583038****992714NS+412571****992772+412501****992774+412503****583045****583013****583018****992776+412505****992709+412568****992712+412569****584011****991424****581394****992713+412570****992714+412571****581156****992707+582011****992706+581021****992713NS+412570**

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

## EXAMPLE

How to order 123010  
in chrome?

- Single lever mixer for bathroom sink,  
with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**123010**



**SERIES:** Idrotech    **FINISH:**  
sink mixer

**123010 + 10**

**12301010**

This is your complete  
code for a Idrotech sink  
mixer in Chrome colour!

This method is valid for all items in the Idrotech range.

**123010**  
**single lever mixer for  
bathroom sink**



- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**123010**

h: 6 17/64"

- Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**123011**

h: 6 17/64"

- Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**123078**

h: 8 15/64"

- Single lever faucet for bathroom sink, fixed spout, with pop-up waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**123089**

- Single lever faucet for bathroom sink, fixed spout, without pop-up waste. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**123173**

- 3 holes washbasin mixer, swivel spout with pop-up waste Click-Clack 1 1/4". max flow: 2 GPM.

**FINISHES**  
10 Chrome

**123040**

- Single lever mixer for bathroom sink, with extended spout without waste. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**123045**

h: 8 15/64"

- Tall single lever bathroom faucet, with extended spout and waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**123077**

h: 13 19/64"

- Tall single lever bathroom faucet, without pop-up waste. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**123018**

h: 13 19/64"



- Single lever mixer for bidet, with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**124010**

h: 6 17/64"

- Waste Click-Clack 1 1/4" with overflow.

**FINISHES**  
**10 Chrome**

**991424**

- Wall mounted spout for bath-tub.

**FINISHES**  
**10 Chrome**

**992112**

l: 9 3/16"

- Complete deck-mount Roman bathtub faucet mixer 4 holes, with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2".  
max flow: 6.3 GPM.

**FINISHES**  
**10 Chrome**

**121059**

l: 4 29/32"

- Complete deck-mount Roman bathtub faucet mixer 4 holes, with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2".  
max flow: 6.3 GPM.

**FINISHES**  
**10 Chrome**

**131059**[acqua  
clima]

l: 4 29/32"



**123018**  
**tall single lever mixer  
for bathroom sink**

- **Complete** concealed Pressure Balance single lever mixer for shower.  
flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992707+122011**

Complete  
**PRESSURE BALANCE**



- **Rough in**, concealed Pressure Balance valve for shower.  
flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992707**

Rough in  
**PRESSURE BALANCE**



- **Trim**, external parts for Pressure Balance shower valve (992707).

**FINISHES**  
10 Chrome

**122011**

Trim  
**PRESSURE BALANCE**



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control.  
flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992713NS+962570**

Complete  
**2 WAYS DIVERTER**  
use only with  
pressure balance

california  
approved



• Works only with code 992707

- **Rough in**, concealed 3/4" 2 ways diverter without stop and with volume control.  
flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992713NS**

Rough in  
**2 WAYS DIVERTER**  
use only with  
pressure balance



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

**FINISHES**  
10 Chrome

**962570**

Trim  
**2 WAYS DIVERTER**  
use only with  
pressure balance



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter.  
flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992706+121021**

Complete  
**PRESSURE BALANCE**  
with diverter



- **Rough in**, concealed Pressure Balance valve for bath-shower mixer with automatic diverter.  
flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992706**

Rough in  
**PRESSURE BALANCE**  
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

**FINISHES**  
10 Chrome

**121021**

Trim  
**PRESSURE BALANCE**  
with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control.  
flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992714NS+962571**

Complete  
**3 WAYS DIVERTER**  
use only with  
pressure balance

california  
approved



• Works only with code 992707

- **Rough in**, concealed 3/4" 3 ways diverter without stop and with volume control.  
flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992714NS**

Rough in  
**3 WAYS DIVERTER**  
use only with  
pressure balance



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

**FINISHES**  
10 Chrome

**962571**

Trim  
**3 WAYS DIVERTER**  
use only with  
pressure balance



- Complete 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992772+962501**

Complete  
**THERMOSTATIC**  
with volume control



- **Rough In** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992772**

Rough in  
**THERMOSTATIC**  
with volume control



- **Trim**, external parts for thermostatic valve (992772) for shower.

**FINISHES**  
10 Chrome

**962501**

Trim  
**THERMOSTATIC**  
with volume control



- Complete 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992776+962505**

Complete  
**THERMOSTATIC**  
with 3 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992776**

Rough in  
**THERMOSTATIC**  
with 3 ways diverter



- **Trim**, external parts for thermostatic valve (992776) for shower.

**FINISHES**  
10 Chrome

**962505**

Trim  
**THERMOSTATIC**  
with 3 ways diverter



- Complete 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992774+962503**

Complete  
**THERMOSTATIC**  
with 2 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992774**

Rough in  
**THERMOSTATIC**  
with 2 ways diverter



- **Trim**, external parts for thermostatic valve (992774) for shower.

**FINISHES**  
10 Chrome

**962503**

Trim  
**THERMOSTATIC**  
with 2 ways diverter



- Complete concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992709+962568**

Complete  
**THERMOSTATIC**  
valve



- **Rough in** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992709**

Rough in  
**THERMOSTATIC**  
valve



- **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**962568**

Trim  
**THERMOSTATIC**  
valve



- **Complete** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992713+962570**

Complete  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



- Works only with code 992709  
(Thermostatic Mixer)

- **Rough in** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992713**

Rough in  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

**FINISHES**  
10 Chrome

**962570**

Trim  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve



- **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992712+962569**

Complete  
**VOLUME CONTROL**  
use only with  
thermostatic valve



- Works only with code 992709  
(Thermostatic Mixer)

- **Rough in** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992712**

Rough in  
**VOLUME CONTROL**  
use only with  
thermostatic valve



- **Trim**, external parts for stop valve (992772) for shower. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**962569**

Trim  
**VOLUME CONTROL**  
use only with  
thermostatic valve



- **Complete** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992714+962571**

Complete  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



- Works only with code 992709  
(Thermostatic Mixer)

- **Rough in** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992714**

Rough in  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

**FINISHES**  
10 Chrome


**962571**

Trim  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve



- Floor standing bath-shower faucet, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs 1" x 1".  
max flow: 6.5 GPM.

**FINISHES**  
10 Chrome

**121156**

h: 6 17/64"

**idroteck**

## **COMPLETE SHOWER KIT THERMOSTATIC WITH 2 WAYS DIVERTER**

**10 Chrome**

**96K053****composed by****9926V2**

- Luxury horizontal 13 1/2", brass arm.

**FINISHES**  
10 Chrome

**9926R4**

- Inox flat profile headshower Ø 12".  
max flow: 2 GPM.

**FINISHES**  
10 Chrome

**992774+962503**

- Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).



























**FINISHES**  
10 Chrome

**991023**

- Fixed bracket in brass with water delivery included, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs 1" x 1".  
max flow: 2 GPM.

**FINISHES**  
10 Chrome

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

**123010****123011****123078****121059****131059****992707+122011****123045****123077****123018****992706+121021****992713NS+962570****992714NS+962571****123089****123173****123040****992772+962501****992774+962503****992776+962505****992709+962568****124010****991424****992112****992712+962569****992713+962570****992714+962505****121156**

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE


**EXAMPLE**

How to order 493010  
in Matt White?

- Single lever mixer for bathroom sink,  
with waste Click-Clack 1 1/4".  
max flow: 1.2 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
<b>43 Matt White</b>
49 Brushed Steel Finish
50 Bronze
53 Gold

**493010**



**SERIES:** Digit3  
sink mixer      **FINISH:** 43 Matt White

**493010 + 43**

**49301043**

This is your complete code  
for a Digit3 sink mixer in  
**Matt White**.

This method is valid for all items in the Digit3 range.

493010  
single lever mixer for  
bathroom sink



- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**493010**

h: 5 27/32"

- Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**493011**

h: 5 27/32"

- Tall single handle bathroom faucet, with extended spout and pop-up waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**493077**

h: 10 45/64"

- Complete floor standing single lever mixer for washbasin. max flow: 6.5 GPM.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**123198**

h

- Single lever mixer for bathroom sink, with extended spout without waste. max flow: 1.2 GPM.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**493045**

h: 7 1/32"

- Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**493078**

h: 7 1/32"

- Tall single handle bathroom faucet, without pop-up waste. max flow: 1.2 GPM.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**493018**

h: 10 45/64"

h: 37 63/64"

- Single lever mixer for bidet, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**494111**

h: 5 27/32"

- Waste Click-Clack 1 1/4" with overflow.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**991424**

- Washbasin round tap.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**991443**

- Wall mounted spout for bath-tub.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**992112**

l: 9 3/16"

- Complete deck-mount Roman bathtub faucet mixer 4 holes, with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 6.3 GPM.

**FINISHES**

10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**121394**

l: 4 29/32"

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**992707+102011**

Complete  
**PRESSURE BALANCE**



- **Rough in**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

**992707**

Rough in  
**PRESSURE BALANCE**



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**102011**

Trim  
**PRESSURE BALANCE**



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**992713NS+102570**

Complete  
**2 WAYS DIVERTER**  
use only with  
pressure balance



• Works only with code 992707

- **Rough in**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
----------

**992713NS**

Rough in  
**2 WAYS DIVERTER**  
use only with  
pressure balance



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES
----------

**102570**

Trim  
**2 WAYS DIVERTER**  
use only with  
pressure balance



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**992706+101021**

Complete  
**PRESSURE BALANCE**  
with diverter



- **Rough in**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
----------

**992706**

Rough in  
**PRESSURE BALANCE**  
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
----------

**101021**

Trim  
**PRESSURE BALANCE**  
with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
----------

**992714NS+102571**

Complete  
**3 WAYS DIVERTER**  
use only with  
pressure balance



• Works only with code 992707

- **Rough in**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
----------

**992714NS**

Rough in  
**3 WAYS DIVERTER**  
use only with  
pressure balance



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES
----------

**102571**

Trim  
**3 WAYS DIVERTER**  
use only with  
pressure balance



- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs valve 90° with volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**992772+962501**Complete  
**THERMOSTATIC**  
with volume control

- **Rough In** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992772**Rough in  
**THERMOSTATIC**  
with volume control

- **Trim**, external parts for thermostatic valve (992772) for shower.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**962501**Trim  
**THERMOSTATIC**  
with volume control

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**992776+962505**Complete  
**THERMOSTATIC**  
with 3 ways diverter

- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992776**Rough in  
**THERMOSTATIC**  
with 3 ways diverter

- **Trim**, external parts for thermostatic valve (992776) for shower.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**962505**Trim  
**THERMOSTATIC**  
with 3 ways diverter

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**992774+962503**Complete  
**THERMOSTATIC**  
with 2 ways diverter

- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992774**Rough in  
**THERMOSTATIC**  
with 2 ways diverter

- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**962503**Trim  
**THERMOSTATIC**  
with 2 ways diverter

- **Complete** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).
- **Rough In** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).
- **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).
- **Complete** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).
- **Rough In** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).
- **Trim**, external parts for 2 ways shower diverter valve (992713).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**992709+962568**Complete  
**THERMOSTATIC**  
valve

FINISHES
10 CHROME

**992709**Rough in  
**THERMOSTATIC**  
valve

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**962568**Trim  
**THERMOSTATIC**  
valve

- **Complete** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).
- **Rough In** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**992713+962570**Complete  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve

- Works only with code 992709 (Thermostatic Mixer)

- **Rough In** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).
- **Trim**, external parts for 2 ways shower diverter valve (992713).

FINISHES
10 Chrome

**992713**Rough in  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve

- **Trim**, external parts for 2 ways shower diverter valve (992713).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**962570**Trim  
**2 WAYS DIVERTER**  
use only with  
thermostatic valve

- **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).
- **Rough In** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).
- **Trim**, external parts for stop valve (992772) for shower. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark Nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**992712+962569**Complete  
**VOLUME CONTROL**  
use only with  
thermostatic valve

- Works only with code 992709 (Thermostatic Mixer)

FINISHES
10 Chrome

**992712**Rough in  
**VOLUME CONTROL**  
use only with  
thermostatic valve

FINISHES
----------

**962569**Trim  
**VOLUME CONTROL**  
use only with  
thermostatic valve

- **Complete** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).
- **Rough In** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).
- **Trim**, external parts for 3 ways shower diverter valve (992714).

FINISHES
----------

**992714+962571**Complete  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve

- Works only with code 992709 (Thermostatic Mixer)

FINISHES
----------

**992714**Rough in  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve

- **Trim**, external parts for 3 ways shower diverter valve (992714).

FINISHES
----------

**962571**Trim  
**3 WAYS DIVERTER**  
use only with  
thermostatic valve

- Floor standing bath-shower faucet, with flexible metal shower hose, 59" length, connection 1/2" and handshower in abs 1" x 1". max flow: 6.5 GPM.

**FINISHES**

- 10 Chrome
- 34 Matt Copper
- 36 Brushed Dark Nickel
- 38 Matt Black
- 43 Matt White
- 49 Brushed Steel Finish
- 50 Bronze
- 53 Gold

























**121156**

h: 37 63/64"



All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

**493010****493011****493045****992707+102011****992706+101021****992713NS+102570****493078****493077****493018****992714N+102571****992772+962501****992774+962503****123198****494111****991424****992776+962505****992709+962568****992712+962569****991443****992112****121394****992713+962570****992714+962571****121156**

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE


**EXAMPLE**

How to order 643220  
in chrome?

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**643220**



**SERIES:** FINISH:  
Formula Elle 10 Chrome  
sink mixer

**643220 + 10**

**64322010**

This is your complete  
code for a Formula Elle  
sink mixer in **Chrome**.

This method is valid for all items in the Formula Elle range.

formula  
elle



553220  
**single lever mixer for  
bathroom sink**

- Single hole bathroom sink faucet, swivel spout, with pop-up waste 1 1/4". max flow: 1.2 GPM.


**FINISHES**  
10 Chrome

**643220**

h: 11 31/64"

- Single hole bathroom sink faucet swivel spout, with pop-up waste 1 1/4". max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**643222**

h: 11 31/64"

- 3 holes washbasin mixer, swivel spout with pop-up waste 1 1/4". max flow: 2 GPM.

**FINISHES**  
10 Chrome

**643040**

l: 5" 5/32

- Wall mounted spout for bath-tub.

**FINISHES**  
10 Chrome

**992112**

l: 9" 3/16

- Complete deck-mount Roman bathtub faucet mixer 5 holes, with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 6.3 GPM.

**FINISHES**  
10 Chrome

**641384**

l: 4" 29/32

- Wall mounted 3 holes washbasin faucet.

**FINISHES**  
10 Chrome

**643060**

l: 11 3/64"

- Single lever mixer for bidet, with pop-up waste 1 1/4". max flow: 1.2 GPM.


**FINISHES**  
10 Chrome

**644220**

h: 8 9/32"

- Pair (2) of concealed stop valves 3/4" with volume control.

**FINISHES**  
10 Chrome

**641241**

**644220  
single lever mixer  
for bidet**

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992707+772011**

Complete  
**PRESSURE BALANCE**



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992707**

Rough in  
**PRESSURE BALANCE**



- **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**772011**

Trim  
**PRESSURE BALANCE**



- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992772+622501**

Complete  
**THERMOSTATIC**  
with volume control



- **Rough In** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992772**

Rough in  
**THERMOSTATIC**  
with volume control



- **Trim**, external parts for thermostatic valve (992772) for shower.

**FINISHES**  
10 Chrome

**622501**

Trim  
**THERMOSTATIC**  
with volume control



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992706+771021**

Complete  
**PRESSURE BALANCE** with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992706**

Rough in  
**PRESSURE BALANCE** with diverter



- **Trim**, external parts for stop valve (992772) for shower. flow rate: 12 GPM (45 PSI).

**FINISHES**  
10 Chrome

**771021**

Trim  
**PRESSURE BALANCE** with diverter



All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992774+622503**

Complete  
**THERMOSTATIC**  
with 2 ways diverter



- **Rough In** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992774**

Rough in  
**THERMOSTATIC**  
with 2 ways diverter




- **Trim**, external parts for thermostatic valve (992774) for shower.

**FINISHES**  
10 Chrome

**622503**

Trim  
**THERMOSTATIC**  
with 2 ways diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992776+622505**

Complete  
**THERMOSTATIC**  
with 3 ways diverter



- **Rough In** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**FINISHES**  
10 Chrome

**992776**

Rough in  
**THERMOSTATIC**  
with 3 ways diverter




- **Trim**, external parts for thermostatic valve (992776) for shower.


**FINISHES**  
10 Chrome

**622505**


Trim  
**THERMOSTATIC**  
with 3 ways diverter




**643220**




**643222**




**643040**




**643060**




**644220**




**641241**




**992112**







**641384**



**992707+772011**



**992706+771021** **992772+622501** **992774+622503** **992776+622505**



formula ellen

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

## EXAMPLE

How to order 623040  
in chrome black?

- 3 holes washbasin mixer, swivel spout with waste Click-Clack 1 1/4".

FINISHES
10 Chrome
38 Matt Black
43 Matt White

623040



SERIES: FINISH:  
Formula Multi 38 Matt Black

623040 + 38

62304038

This is your complete  
code for a Formula  
Multi sink mixer in  
**Chrome Black**.

This method is valid for all items in the Formula Multi range.

623040  
3 holes washbasin mixer



- 3 holes washbasin mixer, swivel spout with waste Click-Clack 1 1/4". max flow: 2 GPM.

**FINISHES**  
**10 Chrome**  
**38 Matt Black**  
**43 Matt White**

**623040**

- Wall mounted 3 holes washbasin faucet. max flow: 2 GPM.

**FINISHES**  
**10 Chrome**  
**38 Matt Black**  
**43 Matt White**

**623060**


- 3 holes bidet mixer, swivel spout with waste Click-Clack 1 1/4". max flow: 2 GPM.

**FINISHES**  
**10 Chrome**  
**38 Matt Black**  
**43 Matt White**

**624030**

- Pair (2) of concealed stop valves 3/4" with volume control.

**FINISHES**  
**10 Chrome**  
**38 Matt Black**  
**43 Matt White**

**621241**

**623060**  
**3 holes washbasin faucet**

- Complete deck-mount Roman bathtub faucet mixer 5 holes, with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 6.3 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White

**621394**

- Wall mounted spout for bath-tub.

FINISHES
10 Chrome
38 Matt Black
43 Matt White

**992112**

l: 9 3/16"

- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White

**992772+622501**

Complete  
**THERMOSTATIC**  
with volume control



- **Rough In** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992772**

Rough in  
**THERMOSTATIC**  
with volume control



- **Trim**, external parts for thermostatic valve (992772) for shower.

FINISHES
10 Chrome
38 Matt Black
43 Matt White

**622501**

Trim  
**THERMOSTATIC**  
with volume control



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White

**992774+622503**

Complete  
**THERMOSTATIC**  
with 2 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992774**

Rough in  
**THERMOSTATIC**  
with 2 ways diverter



- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES
----------

**622503**

Trim  
**THERMOSTATIC**  
with 2 ways diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White

**992776+622505**

Complete  
**THERMOSTATIC**  
with 3 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White

**992776**

Rough in  
**THERMOSTATIC**  
with 3 ways diverter



- **Trim**, external parts for thermostatic valve (992776) for shower.


FINISHES
10 Chrome
38 Matt Black
43 Matt White

**622505**


Trim  
**THERMOSTATIC**  
with 3 ways diverter




**623040**




**623060**




**624030**




**621241**




**621394**




**992112**




**992772+622501**



**992774+622503**



**992776+622505**



All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE


**EXAMPLE**

How to order 523050  
in gold?

- 3 holes washbasin mixer, swivel spout with waste Click-Clack 1 1/4".  
max flow: 2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
<b>53 Gold</b>
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**523050**



**SERIES:**  
Adams  
sink mixer      **FINISH:**  
53 Gold

**523050 + 53**

**52305053**

This is your complete  
code for a Adams in  
**Gold**.

This method is valid for all items in the Adams range.

**523025**  
**3 holes washbasin mixer**



**50****64** made with  
SWAROVSKI<sup>elements</sup>**51****53****70** made with  
SWAROVSKI<sup>elements</sup>**FINISHES****10** Chrome / **50** Bronze / **51** Copper / **53** Gold**64** Gold-Swarovski / **68** Polished Nickel / **70** Chrome-Swarovski

- 3 holes washbasin mixer, swivel spout with pop-up waste 1 1/4". max flow: 2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**523050**

l: 7 15/64"

- Single hole mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**523106**

h: 6 9/16"

- Single hole mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**523240**

l: 6 27/32"

- Single hole bidet mixer, swivel spout with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**524215**

h: 6 17/32"

- Pair (2) of concealed stop valves 3/4" with volume control.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**521241**

l: 6 1/2"

- Wall mounted spout for bath-tub.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
68 Polish Nickel

**992195**

- Wall mounted bath shower, with diverter, built-in shower bracket, with flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 6.5 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**521011**

h: 30 15/64"

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).
- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**992707+362011**Complete  
**PRESSURE BALANCE**

- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

**992707**Rough in  
**PRESSURE BALANCE**

- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**362011**Trim  
**PRESSURE BALANCE**

- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**992772+422501**Complete  
**THERMOSTATIC**  
with volume control

- **Rough In** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992772**Rough in  
**THERMOSTATIC**  
with volume control

- **Trim**, external parts for thermostatic valve (992772) for shower.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**422501**Trim  
**THERMOSTATIC**  
with volume control

- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**992706+361021**Complete  
**PRESSURE BALANCE**  
with diverter

- **Rough In**, concealed Pressure Balance valve for bath-shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

**992706**Rough in  
**PRESSURE BALANCE**  
with diverter

- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**361021**Trim  
**PRESSURE BALANCE**  
with diverter

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**992774+422503**Complete  
**THERMOSTATIC**  
with 2 ways diverter

- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992774**Rough in  
**THERMOSTATIC**  
with 2 ways diverter

- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**422503**Trim  
**THERMOSTATIC**  
with 2 ways diverter

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**992776+422505**Complete  
**THERMOSTATIC**  
with 3 ways diverter
















- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992776**Rough in  
**THERMOSTATIC**  
with 3 ways diverter

- **Trim**, external parts for thermostatic valve (992776) for shower.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**422505**Trim  
**THERMOSTATIC**  
with 3 ways diverter**523050****523025****523060****523106****523240****524215****551012****521241****992195****521011****992707+362011****992706+361021****992772+422501****992774+422503****992776+422505**All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

## EXAMPLE

How to order 553106  
in Gold?

- Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
<b>53 Gold</b>
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**553106**



**SERIES:**  
Porter  
sink mixer      **FINISH:**  
53 Gold

**55310 + 53**

**55310664**

This is your complete code  
for a Porter sink mixer in  
**Gold**.

This method is valid for all items in the Porter range.

553106  
single lever mixer for  
bathroom sink



porter  
color

**50****64** SWAROVSKI  
made with  
elements**51****53****70** SWAROVSKI  
made with  
elements**FINISHES**

**10** Chrome / **50** Bronze / **51** Copper / **53** Gold  
**64** Gold-Swarovski / **68** Polished Nickel / **70** Chrome-Swarovski

- 3 holes washbasin mixer, swivel spout with pop-up waste 1 1/4". max flow: 2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**553050**

l: 7 15/64"

- 3-holes washbasin mixer, Aladin spout with pop-up waste 1 1/4". max flow: 2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**553025**

l: 5 15/64"

- Wall mounted 3 holes washbasin faucet. max flow: 2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**553060**

h: 8 9/16"

- Complete deck-mount Roman bathtub faucet mixer 4 holes, with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 6.3 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**551012**

l: 6 9/16"

- Wall mounted spout for bath-tub.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**992195**

l: 9 1/2"

- Wall mounted bath-shower, with diverter, built-in shower bracket, with flexible metal shower hose, 59" length, connection 1/2 and handshower. max flow: 6.5 GPM.


FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**551011**

h: 30 15/64"

- Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.


FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**553106**

h: 6 9/16"

- Pair (2) of concealed stop valves 3/4" with volume control.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**551241**

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**992707+362011**Complete  
**PRESSURE BALANCE**

- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

**992707**Rough in  
**PRESSURE BALANCE**

- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**362011**Trim  
**PRESSURE BALANCE**

- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**992772+422501**Complete  
THERMOSTATIC  
with volume control

- **Rough In** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992772**Rough in  
THERMOSTATIC  
with volume control

- **Trim**, external parts for thermostatic valve (992772) for shower.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**422501**Trim  
THERMOSTATIC  
with volume control

- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

**992706+361021**Complete  
**PRESSURE BALANCE**  
with diverter

- **Rough In**, concealed Pressure Balance valve for bath shower mixer with diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

**992706**Rough in  
**PRESSURE BALANCE**  
with diverter

- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**361021**Trim  
**PRESSURE BALANCE**  
with diverter

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**992774+422503**Complete  
THERMOSTATIC  
with 2 ways diverter

- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

**992774**Rough in  
THERMOSTATIC  
with 2 ways diverter

- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**422503**Trim  
THERMOSTATIC  
with 2 ways diverter

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski

**992776+422505**

Complete  
**THERMOSTATIC**  
with 3 ways diverter



• **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

**992776**

Rough in  
**THERMOSTATIC**  
with 3 ways diverter



• **Trim**, external parts for thermostatic valve (992776) for shower.

**422505**


Trim  
**THERMOSTATIC**  
with 3 ways diverter




• **FINISHES**

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
64 Gold-Swarovski
68 Polish Nickel
70 Chrome-Swarovski


**553050**




**553025**




**553060**




**553106**




**551241**




**551012**




**992195**




**551011**




**992707+362011**




**992706+361021**




**992772+422501**



**992774+422503**



**992776+422505**



553106  
single lever mixer for  
bathroom sink

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE


**EXAMPLE**

How to order 565020  
in chrome?

- Single lever kitchen faucet with swivel spout max flow: 1.2 GPM

**FINISHES****10 Chrome****095339**

**SERIES:** Kitchen sink mixer    **FINISH:** 10 Chrome

**095339 + 10**

**09533910**

This is your complete  
code for a Kitchen sink  
mixer in **Chrome**.

This method is valid for all items in the Kitchen range.




- Single lever kitchen faucet with swivel spout. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**095339**

track



h: 10 15/32"

- Single lever kitchen faucet with swivel spout. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**125314**

idrotech



h: 14 61/64"

- Single lever kitchen faucet with swivel spout. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**125317**

idrotech




h: 13 61/64"

- Single lever faucet for kitchen 2-holes. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**095348**

track



h: 10 15/32"

- Single lever faucet for kitchen 2-holes. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**125348**

idrotech




h: 12 33/64"

- Single lever kitchen faucet with retractable swivel spout. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**125313**

idrotech




h: 11 13/16"

- Concealed single lever faucet for kitchen 2-holes, with pull-out shower and hide-away swivel spout. max flow: 1.2 GPM.

**FINISHES**  
10 Chrome

**125364**

idrotech



h: 9 29/64"

- Single lever kitchen faucet with swivel spout  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**125362**

idrotech



h: 7 1/64"

- Single lever kitchen faucet, with swivel spout and pull-out shower.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome****125363**

idrotech



h: 7 1/64"

- Single lever kitchen faucet with swivel spout.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**645425**

formula elle



h: 14 61/64"

- Single lever kitchen faucet with swivel spout.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome****645426**

formula elle



h: 14 61/64"



- Single lever kitchen faucet, with swivel spout and pull-out shower.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**105360**

digit




h: 11 7/8"

- Single lever kitchen faucet, with swivel spout and pull-out shower.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**105358**

digit



h: 17 21/64"

- Bridge type washbasin or sink mixer  
swivel spout.  
max flow: 2 GPM.

**FINISHES**  
**10 Chrome**

**523510**

adams



h: 10" 19/32"

- Single lever kitchen faucet with swivel spout. max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**525440**

adams



h: 9 41/64"

- Single lever kitchen faucet with swivel spout. max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**265330**

palace



h: 7 2/32"

- Single lever kitchen faucet, with swivel spout and pull-out shower.  
max flow: 1.2 GPM.

**FINISHES**  
**10 Chrome**

**355330**

capri



h: 7 3/32"





- Single lever sink mixer with swivel spout. max flow: 1.2 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed steel finish
50 Bronze

**125360**

idrotech



h: 11 7/8"

- Single lever sink mixer, with pull-out shower. max flow: 1.2 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed steel finish
50 Bronze

**125357**

idrotech



h: 13 3/16"

- Single lever sink mixer with swivel spout and pull-out shower. max flow: 1.2 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed steel finish
50 Bronze

**125350**

digit

shower  
pull-out

h: 17 13/64"

- Single lever sink mixer with swivel spout. max flow: 1.2 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed steel finish
50 Bronze

**085353**

wild



h: 12 53/64"

- Single lever sink mixer with swivel spout. max flow: 1.2 GPM.























FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed steel finish
50 Bronze
60 Polish nickel

**025353**idrotech /  
digit

h: 12 53/64"

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

**095339****095348****125348****105358****523510****525440****125314****125317****125313****265330****355330****125360****125364****125362****125363****125357****125350****085353****645425****645426****105360****025353**

# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

## EXAMPLE

How to order 9926E8  
in Chrome?

- Inox headshower, 28" x 15", 2 ceiling outlets, with chromotherapy, remote control included. max flow: 2.5 GPM.

### FINISHES

10 Chrome

**9926E8**



**SERIES:** Shower      **FINISH:** 10 Chrome

**9926E8 + 10**

**9926E810**

This is your complete  
code for a Shower in  
**Chrome**.

This method is valide for all items in the Shower range.



The easy way  
to remove limescale

[easy  
clean]





## Our bodies need the sun's light to live

**Chromotherapy** is the science of using colors to adjust body vibrations to frequencies that result in health and harmony. Each color possesses frequencies of a specific vibration, and each vibration is related to different physical symptoms.


And that light can actually be broken down into a seven color spectrum. An imbalance of any of those colors can manifest itself in physical and mental symptoms.

**Color therapy** works on various energy points to help balance your body via the full spectrum of visible light, each color addressing a distinct need.

Color and light have been utilized by healers for thousands of years. Color therapy possibly has roots in Indian medicine (Ayurveda), ancient Egyptian culture and traditional Chinese healing. Alternative medicine practitioners who use chromotherapy often relate the seven colors of the color spectrum to specific body areas.

## Our colors

- **White** - since all colors are present, white does everything on all levels: physically, emotionally, mentally and spiritually. White is about purity, innocence, softness, illumination, release, brilliance, radiance, transcendence.
- **Sky Blue** - promotes relaxation and calm. Blue exhibits tranquilizing qualities often used to relieve headaches and migraines, colds, stress, nervous tension, rheumatism, stomach pains, muscle cramps and liver disorders. Blue is thought to have a positive effect on all kinds of pain.
- **Purple** - is used to calm the nervous system, soothe organs and relax muscles. Violet has meditative qualities and is often used to treat conditions of the lymphatic system and spleen, as well as urinary disorders and psychosis.
- **Green** - a color associated with harmony, provides a neutral, positive calming effect.
- **Blue** - lubricates joints, helps address stress, nervous tension and infections.
- **Yellow** - the brightest color used in chromotherapy, has been used to purify the skin, help with indigestion, strengthen the nervous system, treat glandular diseases, hepatitis and lymphatic disorders and assist metabolism.
- **Orange** - is a mixture of red and yellow. Activates and eliminates localized fat. Assists with asthma and bronchitis.
- **Red** - is believed to increase the pulse, raise blood pressure and increase the rate of breathing. Red would be applied to support circulatory and nervous functions.
- **Magenta** - activates and eliminates impurities in the blood stream.




- Inox headshower, 28" x 15", 2 ceiling outlets, with chromotherapy, remote control included. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926E8**

[chromo therapy]

[easy clean]



- Inox headshower, 15" x 15", ceiling installation, with chromotherapy, remote control included. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926E9**

[chromo therapy]

[easy clean]




- Inox headshower, Ø 15", ceiling installation, with chromotherapy, remote control included. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926F1**

[chromo therapy]

[easy clean]



- Inox headshower, 20" x 20", 3 ceiling outlets, with chromotherapy, remote control included. max flow: 2.5 GPM

**FINISHES**  
10 Chrome

**9926E7**

[chromo therapy]

[easy clean]



- Inox headshower, 38" x 38", ceiling installation. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926G9**

[easy clean]



- Inox headshower, 20" x 20", 3 ceiling outlets. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

- Inox headshower, 20" x 20", 2 ceiling outlets. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926G4**

[easy clean]

**9926G7**

[easy clean]



- Inox headshower, Ø 20", ceiling installation. max flow: 2.5 GPM.


**FINISHES**  
10 Chrome

- Inox headshower, Ø 15", ceiling installation. max flow: 2.5 GPM.


**FINISHES**  
10 Chrome

**9926H3**

[easy clean]



[easy clean]

**9926H2**

collection shower in

Inox headshower, 21" x 6 1/2", wall mount.  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926H4**

[easy  
clean]



Inox headshower, 21" x 6 1/2", 2 outlets,  
wall mount max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**  
**36 Brushed Dark Nickel**  
**38 Matt Black**  
**49 Brushed Steel Finish**

**9926H5**

[easy  
clean]



Wall mounted brass spout, 9" x 2",  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**

**9926L2**

[ceramic]



Inox headshower, 20" x 20", horizontal brass  
arm. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926H8+992639**

[easy  
clean]



Inox headshower, 15.7" x 15.7", horizontal  
brass arm. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926H7+992639**

[easy  
clean]



Inox flat profile headshower, 12" x 12",  
horizontal brass arm. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926C1+9926V2**

[easy  
clean]



Brass headshower, 12" x 12", horizontal brass  
arm. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926A9+9926V2**

[easy  
clean]



Inox flat profile headshower, 8" x 8",  
horizontal brass arm. max flow: 1.8 GPM.

**FINISHES**  
**10 Chrome**

**9926B9+9926V2**

[easy  
clean]



Brass headshower, 8" x 8", horizontal  
brass arm. max flow: 1.8 GPM.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**992636+9926V2**

[easy  
clean]



co shower in

- Inox flat profile headshower, Ø 12", horizontal brass arm. max flow: 2.0 GPM.

**FINISHES**  
10 Chrome

**9926V6+9926V2**

[easy clean]



- Brass headshower, Ø 12", horizontal brass arm. max flow: 2.0 GPM.

**FINISHES**  
10 Chrome

**9926A7+9926V2**

[easy clean]



- Inox headshower, Ø 20", horizontal brass arm. max flow: 2.0 GPM.

**FINISHES**  
10 Chrome

**9926U6+992639**

[easy clean]



- Brass headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

**FINISHES**  
10 Chrome

**992610+9926V2**

[easy clean]



- Inox headshower, Ø 15.7", horizontal brass arm. max flow: 2.0 GPM.

**FINISHES**  
10 Chrome

**9926U7+992639**

[easy clean]



- Inox flat profile headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

**FINISHES**  
10 Chrome

**9926B8+9926V2**

[easy clean]



- Brass headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

**FINISHES**  
10 Chrome

**992606+9926V2**

[easy clean]



- Inox headshower, 20" x 20".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

- Inox headshower, 15.7" x 15.7".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

- Inox flat profile headshower, 12" x 12".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926H8**

[easy clean]

**9926H7**

[easy clean]

**9926C1**

[easy clean]




- Brass headshower, Ø 12".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926A7**

[easy clean]



- Inox headshower, Ø 20".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

- Inox flat profile headshower, 8" x 8".  
max flow: 1.8 GPM.

**FINISHES**  
**10 Chrome**

- Brass headshower, 8" x 8".  
max flow: 1.8 GPM.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926U6**

[easy clean]

**9926B9**

[easy clean]

**992636**

[easy clean]



- Brass headshower, 12" x 12".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926A9**

[easy clean]



- Inox headshower, Ø 15.7".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

- Inox flat profile headshower, Ø 12".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926U7**

[easy clean]

**9926V6**

[easy clean]

**9926B8**

[easy clean]



- Luxury horizontal 15.7" brass arm.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926V2****9926E3****9926M5**

- Brass headshower, Ø 8".  
max flow: 1.8 GPM.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**992610**

[easy clean]



- Brass headshower, Ø 8".  
max flow: 1.8 GPM.

**FINISHES**  
**10 Chrome**  
**50 Bronze**  
**51 Copper**  
**53 Gold**

**992606**

[easy clean]



- Luxury horizontal 13 1/2" brass arm.

**FINISHES**  
**10 Chrome**

**992639**

- Horizontal 5 1/2" brass arm.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**995811**


- Horizontal 5 1/2" brass arm.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926V3**

- Luxury horizontal 13 1/2" brass arm.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926E2**

cole shower in

- Thermostatic faucet, shower column, shower rose, diverter, flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**412068**

[easy  
clean]



- Thermostatic faucet, shower column, shower rose, diverter, flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**962068**


[easy  
clean]



- Slide rail in brass, .6"x .6", with swivel bracket flexible Gliss shower hose, 59" length, connection 1/2" and handshower in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9920B3**



- Slide rail in brass, Ø .8", with swivel bracket flexible Gliss shower hose, 59" length, connection 1/2" and handshower in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**992098**



- Slide rail in brass, Ø .8", with swivel bracket in flexible Gliss shower hose, 59" length, connection 1/2", handshower 3 jets spray in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9920A2**




- Slide rail in brass, Ø .7", with swivel bracket flexible metal shower hose, 59" length, connection 1/2", handshower in brass. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**992007**

[easy  
clean]



collection shower

- Slide rail in brass, Ø .1", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

**FINISHES**  
10 Chrome

**9920N4**



- Slide rail in brass, Ø .1", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

**FINISHES**  
10 Chrome

**9920N5**



- Slide rail in brass, Ø .7", with swivel bracket in abs.

**FINISHES**  
10 Chrome

**9920C2**



- Slide rail in brass, 3/4" x 3/4", with swivel bracket in brass.

**FINISHES**  
10 Chrome

**9920P3**



- Slide rail in brass, Ø 3/4", with swivel bracket in brass.

**FINISHES**  
10 Chrome

**9920P2**



- Brass handshower, Ø 1". max flow: 1.8 GPM.

**FINISHES**  
10 Chrome  
68 Polish Nickel

**991160**

[easy clean]



All components in brass

- Brass handshower, 1" x 1". max flow: 1.8 GPM.

**FINISHES**  
10 Chrome  
68 Polish Nickel

**9910M1**

[easy clean]



All components in brass

- Slide rail in brass, Ø 3/4", with swivel bracket in abs.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
36 Matt Black
36 Matt White
49 Brushed steel finish
50 Bronze
53 Gold
68 Polish Nickel

**992086**


- Acrylic soap dish for slide rail Ø .7" / .8" / .1".

FINISHES
10 Chrome

**9920E7**

- Slide rail in brass, .6" x .6", with swivel bracket in abs.

FINISHES
10 Chrome

**992041**


- Slide rail in brass, Ø .7", with swivel bracket in abs.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
68 Polish Nickel

**992052**

- Slide rail in brass, Ø .8", with swivel bracket in abs.

FINISHES
----------

**992038**

- Handshower in abs, max flow: 1.8 GPM.

FINISHES
----------

**991129**

- Handshower in abs Ø 4". max flow: 1.8 GPM.

FINISHES
----------

**991116**

- Handshower in abs Ø 5". max flow: 1.8 GPM.

FINISHES
----------

**991118**

- Handshower in abs Ø 4", 3 jets spray. max flow: 1.8 GPM.

FINISHES
----------

**991117**

- Handshower in abs Ø 5", 3 jets spray. max flow: 1.8 GPM.

FINISHES
----------

- Handshower in abs Ø 1". max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**991124**

- Handshower in abs 1" x 1". max flow: 1.8 GPM.

FINISHES
----------

**991205**

- Handshower in brass Ø 2". max flow: 1.8 GPM.

FINISHES
----------

**991106**

- Handshower in brass Ø 2". max flow: 1.8 GPM.

FINISHES
----------

**991120**

- Fixed bracket in brass with water delivery, flexible brass shower hose, 59" length, connection 1/2" and handshower in abs Ø 1". max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**991023**

- Fixed bracket in brass with water delivery, flexible brass shower hose, 59" length, connection 1/2", handshower in abs 1 x 1". max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**9910A9**

- Swivel bracket in brass with water delivery, flexible brass shower hose, 59" length, connection 1/2", handshower in abs Ø 2 11/64". max flow: 1.8 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
68 Polish Nickel

**9910H1**

- Fixed bracket in brass.

FINISHES
10 Chrome

- Swivel bracket in brass with water delivery.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
68 Polish Nickel

- Fixed bracket in brass with water delivery.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

- Fixed bracket in brass with water delivery.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

**991050****9910C1****991088****9910B3**

- Fixed bracket in brass.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

- Fixed bracket in brass.

FINISHES
10 Chrome

FINISHES
10 Chrome

- Swivel bracket in abs.

- Swivel bracket in abs.

FINISHES
10 Chrome

- Wall shower junction in brass with water delivery.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

- Wall shower junction in brass with water delivery.


FINISHES
----------

- Wall shower junction in brass with water delivery.

FINISHES
----------

- Wall shower junction in brass with water delivery.

FINISHES
----------

**9910B4****991045****991031****991026****9926M3****9926M2****991011****991012**

collection shower

- Body spray in abs, 5" x 5",  
max flow: 0.9 GPM.

**FINISHES**  
**10 Chrome**

**9926L4**

- Body spray in abs, Ø 5",  
max flow: 0.9 GPM.

**FINISHES**  
**10 Chrome**

**9926L6**

- Body spray in brass 1.65" x 1.65",  
max flow: 0.9 GPM.

**FINISHES**  
**10 Chrome**

**9926L7**

- Body spray in brass Ø 2",  
max flow: 0.9 GPM.

**FINISHES**  
**10 Chrome**

- Wall mounted spout for bath-tub.

**FINISHES**  
**10 Chrome**

**9926L8**[easy  
clean]

- Flexible metal shower hose, 59" length, connection 1/2".


**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**51 Copper**  
**53 Gold**  
**68 Polish Nickel**

**992112****991006**




All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)




All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)



All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)



# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

## EXAMPLE

How to order 9926E8  
in Chrome?

- Inox headshower, 28" x 15", 2 ceiling outlets, with chromotherapy, remote control included. max flow: 2.5 GPM.

### FINISHES

**10 Chrome**

**9926E8**



**SERIES:** Shower      **FINISH:** 10 Chrome

**9926E8 + 10**

**9926E810**

This is your complete  
code for a Shower in  
**Chrome**.

This method is valide for all items in the Shower range.



The easy way  
to remove limescale

[**easy  
clean**]





## Our bodies need the sun's light to live

**Chromotherapy** is the science of using colors to adjust body vibrations to frequencies that result in health and harmony. Each color possesses frequencies of a specific vibration, and each vibration is related to different physical symptoms.

And that light can actually be broken down into a seven color spectrum. An imbalance of any of those colors can manifest itself in physical and mental symptoms.

**Color therapy** works on various energy points to help balance your body via the full spectrum of visible light, each color addressing a distinct need.

Color and light have been utilized by healers for thousands of years. Color therapy possibly has roots in Indian medicine (Ayurveda), ancient Egyptian culture and traditional Chinese healing. Alternative medicine practitioners who use chromotherapy often relate the seven colors of the color spectrum to specific body areas.

## Our colors

**White** - since all colors are present, white does everything on all levels: physically, emotionally, mentally and spiritually. White is about purity, innocence, softness, illumination, release, brilliance, radiance, transcendence.

**Sky Blue** - promotes relaxation and calm. Blue exhibits tranquilizing qualities often used to relieve headaches and migraines, colds, stress, nervous tension, rheumatism, stomach pains, muscle cramps and liver disorders. Blue is thought to have a positive effect on all kinds of pain.

**Purple** - is used to calm the nervous system, soothe organs and relax muscles. Violet has meditative qualities and is often used to treat conditions of the lymphatic system and spleen, as well as urinary disorders and psychosis.

**Green** - a color associated with harmony, provides a neutral, positive calming effect.


**Blue** - lubricates joints, helps address stress, nervous tension and infections.

**Yellow** - the brightest color used in chromotherapy, has been used to purify the skin, help with indigestion, strengthen the nervous system, treat glandular diseases, hepatitis and lymphatic disorders and assist metabolism.

**Orange** - is a mixture of red and yellow. Activates and eliminates localized fat. Assists with asthma and bronchitis

**Red** - is believed to increase the pulse, raise blood pressure and increase the rate of breathing. Red would be applied to support circulatory and nervous functions.

**Magenta** - activates and eliminates impurities in the blood stream.




- Inox headshower, 28" x 15", 2 ceiling outlets, with chromotherapy, remote control included. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926E8**

[chromo therapy]

[easy clean]



- Inox headshower, 15" x 15", ceiling installation, with chromotherapy, remote control included. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926E9**

[chromo therapy]

[easy clean]




- Inox headshower, Ø 15", ceiling installation, with chromotherapy, remote control included. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926F1**

[chromo therapy]

[easy clean]




- Inox headshower, 20" x 20", 3 ceiling outlets, with chromotherapy, remote control included. max flow: 2.5 GPM

**FINISHES**  
10 Chrome

**9926E7**

[chromo therapy]

[easy clean]




- Inox headshower, 38" x 38", ceiling installation. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926G9**

[easy clean]



- Inox headshower, 20" x 20", 3 ceiling outlets. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

- Inox headshower, 20" x 20", 2 ceiling outlets. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926G4**

[easy clean]

**9926G7**

[easy clean]



- Inox headshower, Ø 20", ceiling installation. max flow: 2.5 GPM.

**FINISHES**  
10 Chrome

**9926G8**

[easy clean]




- Inox headshower, Ø 15", ceiling installation. max flow: 2.5 GPM.


**FINISHES**  
10 Chrome

**9926G5**


[easy clean]

**9926H3**

[easy clean]



[easy clean]

**9926H2**

Inox headshower, 21" x 6 1/2", wall mount.  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926H4**

[easy  
clean]



Inox headshower, 21" x 6 1/2", 2 outlets,  
wall mount max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**  
**36 Brushed Dark Nickel**  
**38 Matt Black**  
**49 Brushed Steel Finish**

**9926H5**

[easy  
clean]



Wall mounted brass spout, 9" x 2",  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**

**9926L2**

[ceramic]



Inox headshower, 20" x 20", horizontal brass  
arm. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926H8+992639**

[easy  
clean]



Inox headshower, 15.7" x 15.7", horizontal  
brass arm. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926H7+992639**

[easy  
clean]




Inox flat profile headshower, 12" x 12",  
horizontal brass arm. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926C1+9926V2**

[easy  
clean]



Brass headshower, 12" x 12", horizontal brass  
arm. max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926A9+9926V2**

[easy  
clean]



Inox flat profile headshower, 8" x 8",  
horizontal brass arm. max flow: 1.8 GPM.

**FINISHES**  
**10 Chrome**

**9926B9+9926V2**

[easy  
clean]



Brass headshower, 8" x 8", horizontal  
brass arm. max flow: 1.8 GPM.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**992636+9926V2**

[easy  
clean]



co shower in

- Inox flat profile headshower, Ø 12", horizontal brass arm. max flow: 2.0 GPM.

**FINISHES**  
10 Chrome

**9926V6+9926V2**

[easy clean]



- Brass headshower, Ø 12", horizontal brass arm. max flow: 2.0 GPM.

**FINISHES**  
10 Chrome

**9926A7+9926V2**

[easy clean]



- Inox headshower, Ø 20", horizontal brass arm. max flow: 2.0 GPM.

**FINISHES**  
10 Chrome

**9926U6+992639**

[easy clean]



- Brass headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

**FINISHES**  
10 Chrome

**992610+9926V2**

[easy clean]



- Inox headshower, Ø 15.7", horizontal brass arm. max flow: 2.0 GPM.

**FINISHES**  
10 Chrome

**9926U7+992639**

[easy clean]



- Inox flat profile headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

**FINISHES**  
10 Chrome

**9926B8+9926V2**

[easy clean]



- Brass headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

**FINISHES**  
10 Chrome

**992606+9926V2**

[easy clean]



- Inox headshower, 20" x 20".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

- Inox headshower, 15.7" x 15.7".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

- Inox flat profile headshower, 12" x 12".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926H8**

[easy clean]

**9926H7**

[easy clean]

**9926C1**

[easy clean]




- Brass headshower, Ø 12".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926A7**

[easy clean]



- Inox headshower, Ø 20".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

- Inox flat profile headshower, 8" x 8".  
max flow: 1.8 GPM.


**FINISHES**  
**10 Chrome**

- Brass headshower, 8" x 8".  
max flow: 1.8 GPM.


**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926U6**

[easy clean]

**9926B9**

[easy clean]

**992636**

[easy clean]



- Brass headshower, 12" x 12".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926A9**

[easy clean]



- Inox headshower, Ø 15.7".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

- Inox flat profile headshower, Ø 12".  
max flow: 2.0 GPM.

**FINISHES**  
**10 Chrome**

**9926U7**

[easy clean]

**9926V6**

[easy clean]

**9926B8**

[easy clean]



- Luxury horizontal 15.7" brass arm.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926V2****9926E3****9926M5**

- Brass headshower, Ø 8".  
max flow: 1.8 GPM.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**992610**

[easy clean]



- Brass headshower, Ø 8".  
max flow: 1.8 GPM.

**FINISHES**  
**10 Chrome**  
**50 Bronze**  
**51 Copper**  
**53 Gold**

**992606**

[easy clean]



- Luxury horizontal 13 1/2" brass arm.

**FINISHES**  
**10 Chrome**

**992639**

- Horizontal 5 1/2" brass arm.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**995811**


- Horizontal 5 1/2" brass arm.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926V3**

- Luxury horizontal 13 1/2" brass arm.

**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**53 Gold**  
**68 Polish Nickel**

**9926E2**

cole shower in

- Thermostatic faucet, shower column, shower rose, diverter, flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**412068**

[easy  
clean]



- Thermostatic faucet, shower column, shower rose, diverter, flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**962068**

[easy  
clean]



- Slide rail in brass, .6"x .6", with swivel bracket flexible Gliss shower hose, 59" length, connection 1/2" and handshower in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9920B3**



- Slide rail in brass, Ø .8", with swivel bracket flexible Gliss shower hose, 59" length, connection 1/2" and handshower in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**992098**



- Slide rail in brass, Ø .8", with swivel bracket in flexible Gliss shower hose, 59" length, connection 1/2", handshower 3 jets spray in abs. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**9920A2**




- Slide rail in brass, Ø .7", with swivel bracket flexible metal shower hose, 59" length, connection 1/2", handshower in brass. max flow: 1.8 GPM.

FINISHES  
10 Chrome

**992007**

[easy  
clean]



collection shower

- Slide rail in brass, Ø .1", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

**FINISHES**  
10 Chrome

**9920N4**

- Slide rail in brass, Ø .1", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

**FINISHES**  
10 Chrome

**9920N5**

- Slide rail in brass, Ø .7", with swivel bracket in abs.

**FINISHES**  
10 Chrome

**9920C2**

- Slide rail in brass, 3/4" x 3/4", with swivel bracket in brass.

**FINISHES**  
10 Chrome

**9920P3**

- Slide rail in brass, Ø 3/4", with swivel bracket in brass.

**FINISHES**  
10 Chrome

**9920P2**

- Brass handshower, Ø 1". max flow: 1.8 GPM.

**FINISHES**  
10 Chrome  
68 Polish Nickel

**991160**

[easy  
clean]



All components  
in brass

- Brass handshower, 1" x 1". max flow: 1.8 GPM.

**FINISHES**  
10 Chrome  
68 Polish Nickel

**9910M1**

[easy  
clean]



All components  
in brass

- Slide rail in brass, Ø 3/4", with swivel bracket in abs.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
36 Matt Black
36 Matt White
49 Brushed steel finish
50 Bronze
53 Gold
68 Polish Nickel

**992086**


- Acrylic soap dish for slide rail Ø .7" / .8" / .1".

FINISHES
10 Chrome

**9920E7**

- Slide rail in brass, .6" x .6", with swivel bracket in abs.

FINISHES
10 Chrome

**992041**

- Slide rail in brass, Ø .7", with swivel bracket in abs.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
68 Polish Nickel

**992052**

- Slide rail in brass, Ø .8", with swivel bracket in abs.

FINISHES
----------

**992038**

- Handshower in abs, max flow: 1.8 GPM.

FINISHES
----------

**991129**

- Handshower in abs Ø 5", 3 jets spray, max flow: 1.8 GPM.

FINISHES
----------

**991116**

- Handshower in abs Ø 4". max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**991118**

- Handshower in abs Ø 5". max flow: 1.8 GPM.

FINISHES
----------

**991117**

- Handshower in brass Ø 2". max flow: 1.8 GPM.

FINISHES
----------

**991124****991205**

- Handshower in abs Ø 1". max flow: 1.8 GPM.

FINISHES
----------

**991106****991120**

collection shower

- Fixed bracket in brass with water delivery, flexible brass shower hose, 59" length, connection 1/2" and handshower in abs Ø 1". max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**991023**

- Fixed bracket in brass with water delivery, flexible brass shower hose, 59" length, connection 1/2", handshower in abs 1 x 1". max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

**9910A9**

- Swivel bracket in brass with water delivery, flexible brass shower hose, 59" length, connection 1/2", handshower in abs Ø 2 11/64". max flow: 1.8 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
68 Polish Nickel

**9910H1**

- Fixed bracket in brass.

FINISHES
10 Chrome

- Swivel bracket in brass with water delivery.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
68 Polish Nickel

- Fixed bracket in brass with water delivery.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

- Fixed bracket in brass with water delivery.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

**991023****9910A9****9910H1****991050****9910C1****991088****9910B3**

- Fixed bracket in brass.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

- Fixed bracket in brass.

FINISHES
10 Chrome

FINISHES
10 Chrome

- Swivel bracket in abs.

FINISHES
10 Chrome

- Swivel bracket in abs.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

- Wall shower junction in brass with water delivery.

FINISHES
----------


- Wall shower junction in brass with water delivery.

FINISHES
----------

- Wall shower junction in brass with water delivery.

- Wall shower junction in brass with water delivery.

FINISHES
----------

**9910B4****991045****991031****991026****9926M3****9926M2****991011****991012**

collection shower

- Body spray in abs, 5" x 5",  
max flow: 0.9 GPM.

**FINISHES**  
**10 Chrome**

**9926L4**

- Body spray in abs, Ø 5",  
max flow: 0.9 GPM.

**FINISHES**  
**10 Chrome**

**9926L6**

- Body spray in brass 1.65" x 1.65",  
max flow: 0.9 GPM.

**FINISHES**  
**10 Chrome**

**9926L7**

- Body spray in brass Ø 2",  
max flow: 0.9 GPM.

**FINISHES**  
**10 Chrome**

- Wall mounted spout for bath-tub.

**FINISHES**  
**10 Chrome**

**9926L8****[easy clean]**

- Flexible metal shower hose, 59" length, connection 1/2".


**FINISHES**  
**10 Chrome**  
**34 Matt Copper**  
**36 Brushed dark nickel**  
**38 Matt Black**  
**43 Matt White**  
**49 Brushed Steel Finish**  
**50 Bronze**  
**51 Copper**  
**53 Gold**  
**68 Polish Nickel**

**992112**




All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)




All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)



All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)




# HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

## EXAMPLE

How to order 994363  
in chrome?

- Single towel rail 18".



**SERIES:** Accessories    **FINISH:** 10 Chrome

**994363 + 10**

**99436310**

This is your complete  
code for Accessories  
in  
**Chrome.**

This method is valid for all items in the Accessories range.



· Single towel rail 18".

· Single towel rail 24".

· Towel ring.

**FINISHES**  
10 Chrome

**994363**



**FINISHES**  
10 Chrome

**994364**



**FINISHES**  
10 Chrome

**994365**



· Bath robe hook.

· Toilet roll holder.

**FINISHES**  
10 Chrome

**994367**



**FINISHES**  
10 Chrome

**994371**



accessories  
collection



· Single towel rail 18".

· Single towel rail 24".

· Towel ring.

**FINISHES**  
10 Chrome

**FINISHES**  
10 Chrome

**FINISHES**  
10 Chrome

**994386**



**994387**



**994388**



· Bath robe hook.

**FINISHES**  
10 Chrome



**994389**

· Horizontal toilet roll holder.

**FINISHES**  
10 Chrome



**994397**

accessories  
collection



- Single towel rail 12".

**FINISHES**  
10 Chrome

**9943A7**

- Single towel rail 18".

**FINISHES**  
10 Chrome

**9943A8**

- Single towel rail 24".

**FINISHES**  
10 Chrome

**9943A9**

- Soap dispenser complete with reservoir for liquid soap.

**FINISHES**  
10 Chrome

**9943C5**

- 3 liters dustbin with lid and basket.

**FINISHES**  
10 Chrome

**9943D4**

- Bath robe hook.

**FINISHES**  
10 Chrome

**9943H3**

- Toilet roll holder.

**FINISHES**  
10 Chrome

**9943B4**

- Toilet roll holder.

**FINISHES**  
10 Chrome

**9943B5**


- 5 liters dustbin with lid and basket.

**FINISHES**  
10 Chrome

**9943D5**

- 12 liters dustbin with lid and basket.

**FINISHES**  
10 Chrome

**9943D6**

· 3 liters dustbin with lid and basket.

**FINISHES**  
43 White

**9943H6**



· 5 liters dustbin with lid and basket.

**FINISHES**  
43 White

**9943E1**



· 12 liters dustbin with lid and basket.

**FINISHES**  
43 White

**9943E2**



· 3 liters dustbin with lid and basket.

**FINISHES**  
38 Black

**9943E3**



· 5 liters dustbin with lid and basket.

**FINISHES**  
38 Black

**9943E4**



· 12 liters dustbin with lid and basket.



























**FINISHES**  
38 Black

**9943E5**



accessories  
collection

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

**994363****994364****994365****9943A9****9943H3****9943B4****994367****994371****994386****9943B5****9943C5****9943D4****994387****994388****994389****9943D5****9943D6****9943H6****9943E1****994397****9943A7****9943A8****9943E2****9943E3****9943E4****9943E5**



- Top mount Bathroom Sink with waste ceramic cover, without overflow.

LIST PRICE

**C50303**



drag

- Top mount Bathroom Sink with hidden outlet valve, without overflow.

LIST PRICE

**C50313**



tab

- Top mount Bathroom Sink with waste ceramic cover, without overflow.

LIST PRICE

**C50304**



net

- Top mount Bathroom Sink, with overflow.

LIST PRICE

**C50305**



zip61

zip68



- Top mount Bathroom Sink without overflow.

LIST PRICE

oplà

umpa



- Top mount Bathroom Sink with taphone, without overflow.

LIST PRICE

kubik80

spool65

- Built-in Bathroom Sink without overflow.

LIST PRICE**C53301**

- Wallmount Bathroom Sink with taphole without overflow.

LIST PRICE**C65313**

hub

dada












- Built-in Bathroom Sink without overflow.

LIST PRICE**C53326**

cosmopolitan

All specs are available on  
[www.palazzaniusa.com](http://www.palazzaniusa.com)

## NOTE

**C50303****C50304****C50313****C50305****C50307****C50329****C50330****C64305****C53301****C53326****C65313**

spare  
parts



· Cartridge without distributor, Ø 1 37/64".

**FINISHES**  
99

**990220**



**CLICK:** 371020 - 372010 - 372062 - 372063 -  
372064 - 372065  
**SHAMPOO AND RINSE:** 127092 - 405334 - 407092  
**CUCINA:** 095348 - 105358 - 105360 - 123042 -  
125115 - 125313 - 125314 - 125317 - 125326 -  
125327 - 125348 - 125350 - 125363 - 125364 -  
125362 -  
- 125365 - 265330 - 355010 - 355115 - 355317 -  
355330 - 405014 - 405025 - 405115 - 405317 -  
405330 - 485115 - 485317 - 645426  
**DIGIT:** 102012 - 101022 - 121089 - 123089 - 123114 -  
- 124043  
**FORMULA ELLE:** 771020 - 772010 - 772062 -  
772063 - 772064 - 772065  
**IDROTECH:** 121011 - 121012 - 121015 - 121020 -  
121025 - 121033 - 121034 - 121045 - 121058 -  
121059 - 121074 - 121089 - 121150 - 122010 -  
122015 -  
- 122043 - 122062 - 122063 - 122064 - 122065 -  
122092 - 122116 - 123010 - 123011 - 123012 -  
123013 - 123014 - 123018 - 123042 - 123043 -  
123063 -  
- 123077 - 123114 - 124010 - 124011 - 124043  
**MIMO:** 022012 - 021022  
**MIS:** 561020 - 562010 - 562063 - 562064 - 562065  
**PIN:** 481022 - 482012  
**PORTER:** 361020 - 362010 - 362067 - 362068 -  
362069 - 362070  
**TRACK:** 091012 - 091015 - 091020 - 091025 -  
092010 - 092020 - 092026 - 092027 - 092062 -  
092063 - 092064 - 092065  
**YOUNG:** 071020 - 072010  
88: 881020 - 882010

· Cartridge with distributor, Ø 1 37/64".

**FINISHES**  
99

**990210**



· Cartridge pressure balance for concealed showers Ø 1 37/64".

**FINISHES**  
99

**990205**



· Cartridge without distributor, Ø 1 3/8".

**FINISHES**  
99

**990251**



· Cartridge with distributor, Ø 1 3/8".

**FINISHES**  
99

**990250**



**KITCHEN:** 235011 - 235012 - 235315 - 235316 -  
265017 - 265309 - 265315 - 265325 - 355013 -  
355316 - 355320 - 355325 - 405010 - 405013 -  
405316 - 405320 - 405325 - 485011  
**PIN:** 481010 - 481012 - 481013 - 481015 -  
481095 - 482015 - 482020 - 482097 - 482116 -  
483010 - 483011 - 483018 - 483077 - 483110 -  
483111 - 484010 - 484011 - 484011 - 484110 -  
484111

· Cover plate 4"

**FINISHES**  
10 Chrome

**9616A4**



· Cover plate 8"

**FINISHES**  
10 Chrome

**9616A5**



■ Other details are available on request

■ Other details are available on request

- Cartridge without distributor, Ø 63/64".

FINISHES
99

**990253**

**KITCHEN:** 565020  
**CLACK:** 031012 - 031015 - 031025 - 031096 - 032020 - 032026 - 033010 - 033011 - 033018 - 033038 - 033045 - 033077 - 033081 - 033097 - 034010 - 034011  
**CLICK:** 371012 - 371015 - 371025 - 371096 - 372020 - 372026 - 373010 - 373011 - 373018 - 373038 - 373045 - 373077 - 373081 - 373097 - 374010 - 374011  
**MIS:** 561012 - 561015 - 561025 - 562020 - 562026 - 563010 - 563011 - 563013 - 563018 - 563038 - 563045 - 563081 - 563083 - 563084 - 564010 - 564011

- Cartridge without distributor, Ø 63/64".

FINISHES
99

**990265**

**DIGIT:** 103148  
**KITCHEN:** 105337 - 095339

- Thermostatic cartridge 3/4".

FINISHES
99

**990252**

**CLICK:** 212410 - 212414 - 212425 - 212426 - 212427  
**DIGIT:** 962066 - 962410 - 962414 - 962417 - 962418 - 962420 - 962424 - 962425 - 962426 - 962427 - 962428  
**MIS:** 012410 - 012414 - 012425 - 012426 - 012427 - 012428  
**TRACK:** 412066 - 412068 - 412410 - 412414 - 412417 - 412418 - 412420 - 412424 - 412425 - 412426 - 412427 - 412428

- Ceramic headvalve 1/2", 180°.

FINISHES
99

**991920**

- Ceramic headvalve left 3/4", 90°.

FINISHES
99

**991925**

**CLICK:** 212414  
**DIGIT:** 962414 - 962418 - 966420  
**MIS:** 012414  
**TRACK:** 412414 - 412418 - 416420

- Standard headvalve 1/2".

FINISHES
99

**991930**

**KITCHEN:** 505010 - 505440 - 505445

- Ceramic headvalve right 1/2", 90°.

FINISHES
99

**991910**

**KITCHEN:** 555010 - 555060 - 555440 - 555815 - 625425  
**FORMULA MULTI:** 621158 - 621159 - 621160 - 621384 - 622044 - 622046 - 622060 - 622075 - 623040 - 623220 - 623222 - 624020 - 624030 - 624220  
**MIS:** 011013 - 011383 - 011384 - 011385 - 013030 - 013064  
**PORTER:** 551010 - 551020 - 551022 - 552014 - 552015 - 553020 - 553050 - 553106 - 553225 - 554020 - 554030 - 554050 - 554226 - 555060  
**TRACK:** 412060 - 412063 - 412128

- Ceramic headvalve left 1/2", 90°.

FINISHES
99

**991915**

**KITCHEN:** 555010 - 555060 - 555440 - 555815 - 625425  
**FORMULA MULTI:** 621158 - 621159 - 621160 - 621384 - 622044 - 622046 - 622060 - 622075 - 623040 - 623220 - 623222 - 624020 - 624030 - 624220  
**MIS:** 011013 - 011383 - 011384 - 011385 - 013030 - 013064  
**PORTER:** 551010 - 551020 - 551022 - 552014 - 552015 - 553020 - 553050 - 553106 - 553225 - 554020 - 554030 - 554050 - 554226 - 555060  
**TRACK:** 412063 - 412128

- Extended shaft of concealed diverter right 1/2".

FINISHES
10 Chrome

**991937**

**ITALIA:** 731240  
**RETRO:** 501180 - 501240

- Extended shaft ceramic of concealed diverter right 1/2", 90°.

FINISHES
10 Chrome

**991952**

**ADAMS:** 521011 - 521015 - 521020 - 521022 - 521133 - 521134 - 521146 - 521147 - 522014 - 522015 - 522117 - 522118 - 523025 - 523050 - 523080 - 523106 - 523110 - 523240 - 523242 - 523310 - 523613 - 524020 - 524021 - 524030 - 524120 - 524215 - 525060  
**CLICK:** 212414  
**DIGIT:** 962414 - 962418 - 966420  
**MIS:** 012414  
**TRACK:** 412414 - 412418 - 416420

- Extended shaft ceramic of concealed diverter left 1/2", 90°.

FINISHES
10 Chrome

**991953**

**PORTER:** 553060 - 551240 - 551180

■ Other details are available on request

■ Other details are available on request

- Extension 1 37/64" for concealed shower mixer Ø 1 37/64". (code 992707)

**FINISHES**  
99

**992720**

- Extension 1 37/64" for concealed shower with diverter Ø 1 37/64". (code 992706)

**FINISHES**  
99


**992725**

### How to use extension for concealed pressure balance valves

Product	Description	Extension	Extension
	<b>shower mixer</b>	<b>shower with diverter</b>	
	<b>992720</b>	<b>992725</b>	
<b>992707</b>	<b>pressure balance</b>	<b>1</b>	
<b>992706</b>	<b>pressure balance + automatic diverter</b>		<b>1</b>


- Extension concealed 3/4" thermostatic valve. (code 992709).

**FINISHES**  
02

**992793**


- Extension concealed 3/4", 2 ways diverter with stop, (code 992713).

**FINISHES**  
02

**992797**

- Extension concealed stop valve 3/4" ceramic discs 90° with volume control. (code 992712).

**FINISHES**  
02

**992794**

### How to use extension for concealed thermostatic valves

Product	Description	Extension	Extension	Extension
		<b>thermostatic</b>	<b>diverter 3/4"</b>	<b>faucet 3/4"</b>
	<b>99279302</b>	<b>99279702</b>	<b>99279402</b>	
		cad \$ 160,00		
<b>992772</b>	<b>thermostatic + faucet 3/4"</b>	<b>1</b>		<b>1</b>
<b>992774</b>	<b>thermostatic + diverter 2 ways</b>	<b>1</b>	<b>1</b>	
<b>992776</b>	<b>thermostatic + diverter 3 ways</b>	<b>1</b>	<b>1</b>	

Product	Description	Extension	Extension	Extension
		<b>thermostatic</b>	<b>diverter 3/4"</b>	<b>faucet 3/4"</b>
	<b>99279302</b>	<b>99279702</b>	<b>99279402</b>	
<b>992709</b>	<b>thermostatic valve</b>	<b>1</b>		
<b>992712</b>	<b>concealed stop valve</b>			<b>1</b>
<b>992713</b>	<b>diverter 2 ways x thermostatic</b>		<b>1</b>	
<b>992714</b>	<b>diverter 3 ways x thermostatic</b>		<b>1</b>	
<b>992713NS</b>	<b>diverter 2 ways x pressure balance</b>		<b>1</b>	
<b>992714</b>	<b>diverter 3 ways x pressure balance</b>		<b>1</b>	



[www.palazzaniusa.com](http://www.palazzaniusa.com)

**PALAZZANI USA, Inc - Distribution**

**WAREHOUSE**

Warehouse - Kennesaw, Georgia USA

Corporate - Coral Gables, Florida

Office telephone - (305) 651-4470

Email - sales@palazzaniusa.com

For orders use this email: [orders@palazzaniusa.com](mailto:orders@palazzaniusa.com)

Mobile orders (954) 471-1111

[www.palazzaniusa.com](http://www.palazzaniusa.com)



**Palazzani.eu srl**

**Headquarters & Factory**

Office telephone +39 0374-74141

Fax telephone +39 0374-74524